

Consents Decisions and Applications in Process

File: 430.1

Report from Acting Consents Senior Programme Manager, Allan Richards dated 1 September 2009.

The following Resource Consent Decisions have been made since 1 August 2009.

Delegated Authority

CON20090577003 Non Notified Replacement

FAR NORTH HOLDINGS LIMITED, C/O BAY OF ISLANDS PLANNING LIMITED, PO BOX 795, KERIKERI 0245

To occupy and use space in the coastal marine area with a jetty facility at the Kerikeri Basin, Kerikeri, at or around location co-ordinates 1687661E 6102356N.

- 1 This consent applies only to the jetty facility identified on NRC Plan No. **4301** attached.
- 2 The Consent Holder shall mark the jetty with the number **5770** in black lettering on a white background clearly displayed and in such a manner as to be clearly visible from land and sea.
- 3 The Consent Holder shall keep the coastal marine area free of debris resulting from the Consent Holder's activities.
- 4 The Consent Holder shall maintain the structure covered by this consent in good order and repair.
- 5 The Consent Holder shall ensure that no activity, boat maintenance related or otherwise, that could involve contaminants entering the coastal marine area, is undertaken on or directly adjacent to the facility.
- 6 No vessel shall berth alongside the pontoon for more than 30 minutes. Signage shall be erected on the pontoon clearly stating, "Maximum berthing 30 minutes".
- 7 The Consent Holder shall, for the purposes of adequately monitoring the consent as required under Section 35 of the Act, on becoming aware of any contaminant associated with the Consent Holder's operations escaping otherwise than in conformity with this consent:
 - (a) Immediately take such action, or execute such work as may be necessary, to stop and/or contain such escape; and
 - (b) Immediately notify the Council by telephone of an escape of contaminant; and
 - (c) Take all reasonable steps to remedy or mitigate any adverse effects on the environment resulting from the escape; and
 - (d) Report to the Council in writing within one week on the cause of the escape of the contaminant and the steps taken or being taken to effectively control or prevent such escape.

- 8 The Council may, in accordance with Section 128 of the Resource Management Act 1991, serve notice on the Consent Holder of its intention to review the conditions of this consent annually during the month of August. The review may be initiated for any one or more of the following purposes:
- (a) To deal with any adverse effects on the environment that may arise from the exercise of the consent and which it is appropriate to deal with at a later stage, or to deal with any such effects following assessment of the results of the monitoring of the consent and/or as a result of the Council's monitoring of the state of the environment in the area;
 - (b) To deal with any material inaccuracies that may in future be found in the information made available with the application. (Notice may be served at any time for this reason.)

The Consent Holder shall meet all reasonable costs of any such review.

- 9 Prior to the expiry, cancellation, or lapsing of this consent the Consent Holder shall remove all structures and other materials and refuse associated with this consent from the consent area and shall restore the consent area to the satisfaction of the Council, unless an application for a replacement consent has been properly made beforehand.

EXPIRY DATE: 30 SEPTEMBER 2014

CON20090218201 Non Notified Replacement

APOTU ROAD WATER SCHEME LIMITED, C/O MALCOLM AYLWARD, 491 APOTU ROAD, RD 1, KAMO 0185

To take water from the Mangahahuru Stream, at or about location co-ordinates 1714102E 6057719N, and unnamed spring-fed tributaries of Apotu Stream within the abstraction area shown on the attached Northland Regional Council Plan No. 3290, for water supply purposes on the properties identified on the attached plan.

Note: All location co-ordinates in this document refer to Geodetic Datum 2000, New Zealand Transverse Mercator Projection.

Subject to the following conditions:

- 1 The total quantity taken from all sources shall not exceed 185 cubic metres per day.
- 2 The Consent Holder shall notify the Council in writing of any change to the location of where water is taken within two weeks of a change to that location occurring. Details of the new location and the design details of the intake structure shall also be provided as part of this written notification.
- 3 A screening device shall be installed and maintained on the intake structure within the Mangahahuru Stream. This screen shall have holes or slots of a diameter or width no greater than 5 millimetres and shall limit the intake velocities across the screen to less than 0.3 metres/second.

- 4 The Consent Holder shall keep a written record of the weekly quantity of water taken, the duration of pumping and the rate of taking at all water take points. A copy of these records for the previous 12 month period (1 April to 31 March) shall be forwarded to the Council by 1 May each year, and also immediately on written request by the Council. In the event that no water is abstracted during this period, the Consent Holder shall notify the Council in writing of this fact by the 1 May.

- 5 The Council may in accordance with Section 128 of the Resource Management Act 1991, serve notice on the Consent Holder of its intention to review the conditions of this consent. Such notice may be served annually during the month of March. The review may be initiated for any one or more of the following purposes:
 - (a) To deal with any adverse effects on the environment that may arise from the exercise of the Consent and which it is appropriate to deal with at a later stage, or to deal with any such effects following assessment of the results of the monitoring of the Consent and/or as a result of the Council's monitoring of the state of the environment in the area.
 - (b) To require the adoption of the best practicable option to remove or reduce any adverse effect on the environment.
 - (c) To provide for compliance with rules in any regional plan that has been made operative since the commencement of the consent;
 - (d) To take into account any relevant national environmental standard;
 - (e) To deal with any inadequacies or inconsistencies the Council considers there to be in the conditions of the consent, following the establishment of the activity the subject of the consent.
 - (f) To deal with any material inaccuracies that may in future be found in the information made available with the application. (Notice may be served at any time for this reason.)

The Consent Holder shall meet all reasonable costs of any such review.

EXPIRY DATE: 30 NOVEMBER 2025

CON20080516701 Non Notified Replacement

BECROFT BUTLER HOLDINGS LIMITED, 12 MANGAKAHIA ROAD, RD 2, WHANGAREI 0179

To undertake the following activities associated with two wastewater treatment and disposal systems servicing a retirement home on Lot 1 DP 188790 and Lot 13 DP 114273 Blk IV Whangarei SD, at or about location co-ordinates 1709062 E 6042597 N, within the catchment of the Kauritutahi Stream:

Note: All location co-ordinates in this document refer to Geodetic Datum 2000, New Zealand Transverse Mercator Projection.

Subject to the following conditions:

(01) Discharge to Ground

- 1 The quantity of treated wastewater discharged shall not exceed 4.4 cubic metres within any consecutive 24 hour period.
- 2 As a minimum, the wastewater reticulation, treatment and disposal systems for the retirement home shall be of a similar design, size and location as the systems installed at the date of the commencement of these consents.
- 3 The Consent Holder shall notify the Council in writing if any significant change to the occupancy rate of the retirement home is to be made, or new buildings are to be constructed, at least one month prior to these changes being made.
- 4 There shall be no ponding of wastewater within, nor surface runoff of any contaminants from, the wastewater treatment and disposal areas as a result of the exercise of this consent.
- 5 Stormwater and groundwater shall be prevented from entering the wastewater reticulation and treatment systems. In addition, stormwater from surrounding areas shall be prevented, as far as is practicable, from entering the disposal areas.

(02) Discharge to Air

- 6 The Consent Holder's operations shall not give rise to any discharge of contaminants to air at or beyond the legal property boundary of Lot 1 DP 188790 and Lot 13 DP 114273 which is deemed by a suitably trained and experienced Enforcement Officer of the Council to be noxious, dangerous, offensive or objectionable to such an extent that it has, or is likely to have, an adverse effect.

General

- 7 The Consent Holder shall enter into a maintenance contract with a suitably qualified and experienced person to maintain the wastewater treatment and disposal systems so that they operate effectively at all times. A written copy of the maintenance undertaken shall be kept and provided to the Council immediately on request by the Council.

Advice Note: *For compliance purposes, a "suitably qualified and experienced person" would be either a person employed or trained by the manufacturer of the wastewater treatment system, or someone who can provide evidence of satisfactory qualifications and/or experience in maintaining the type of wastewater treatment and disposal system installed.*

- 8 The Consent Holder shall, for the purposes of adequately monitoring the consent as required under Section 35 of the Act, on becoming aware of any contaminant associated with the Consent Holder's operations escaping otherwise than in conformity with this consent:
 - (a) Immediately take such action, or execute such work as may be necessary, to stop and/or contain such escape; and
 - (b) Immediately notify the Council by telephone of an escape of contaminant; and
 - (c) Take all reasonable steps to remedy or mitigate any adverse effects on the environment resulting from the escape; and

- (d) Report to the Council in writing within one week on the cause of the escape of the contaminant and the steps taken or being taken to effectively control or prevent such escape.
- 9 The Council may in accordance with Section 128 of the Resource Management Act 1991, serve notice on the Consent Holder of its intention to review the conditions of this consent annually during the month of November. The review may be initiated for any one or more of the following purposes:
- (a) To deal with any adverse effects on the environment that may arise from the exercise of the consent and which it is appropriate to deal with at a later stage, or to deal with any such effects following assessment of the results of the monitoring of the consent and/or as a result of the Council's monitoring of the state of the environment in the area;
 - (b) To require the adoption of the best practicable option to remove or reduce any adverse effect of the discharges on the environment;
 - (c) To provide for compliance with rules in any regional plan that has been made operative since the commencement of the consent;
 - (d) To take into account any relevant national environmental standard;
 - (e) To deal with any inadequacies or inconsistencies the Council considers there to be in the conditions of the consent, following the establishment of the activity the subject of the consent; and
 - (f) To deal with any material inaccuracies that may in future be found in the information made available with the application (notice may be served at any time for this reason).

The Consent Holder shall meet all reasonable costs of any such review.

EXPIRY DATE: 30 MAY 2019

CON20092357701 Non Notified New

**WHANGAREI DISTRICT COUNCIL (ROADING DIVISION) PRIVATE BAG 9023,
WHANGAREI MAIL CENTRE, WHANGAREI 0148**

To place, use and occupy space in the coastal marine area with a 210 metre long seawall at Whananaki, at or about location co-ordinates 1732530E 6069580N.

Note: All location co-ordinates in this document refer to Geodetic Datum 2000, New Zealand Transverse Mercator Projection.

Subject to the following conditions:

- 1 This consent applies only to the seawall identified on NRC Plan No. **4299** attached.
- 2 The Consent Holder shall mark the southern end of the seawall with the number **23577** in black lettering on a white background clearly displayed and in such a manner as to be clearly visible.

- 3 The Consent Holder shall maintain the structure covered by this consent in good order and repair.
- 4 The Consent Holder shall notify the Northland Regional Council in writing of the date repair or maintenance work is intended to commence at least two weeks beforehand, and as soon as the work is completed.
- 5 The Consent Holder shall ensure that a copy of this consent is provided to the person who is to carry out the repair or maintenance work. A copy of the consent shall be held on site, and available for inspection by the public, during repairs or maintenance.
- 6 All machinery used in the coastal marine area during the repair or maintenance of the seawall, shall remain to the landward side of the tide mark at all times.
- 7 All vehicles or equipment entering the coastal marine area associated with the exercise of this consent shall be in good state of repair and free of any leaks eg. oil, diesel etc.
- 8 Fuelling and maintenance of plant and equipment used during any repair or maintenance work to the seawall shall not be carried out in the coastal marine area or in any other location near the site where fuel or oil could enter the coastal marine area.
- 9 The consent shall only be exercised only between the daylight hours of 7.00 a.m. and 6.00 p.m.
- 10 All backfill material used in the repair or maintenance of the seawall shall be of sufficient size and density and placed so as to preclude its movement into the coastal marine area.

Advice Note: *Use of an appropriate grade of geotextile immediately behind the seawall is one method that may assist in compliance with this condition.*

- 11 Sand or shell from the adjacent foreshore shall not be used in any repair or maintenance work to the seawall.
- 12 The Consent Holder shall exercise this consent in a manner which ensures that the quality of the receiving waters, at any point 10 metres from the seawall, always meets the following standard as a result of the exercise of this consent:

Standard	Contact Recreation Standard CB
Natural visual clarity	Not reduced more than 20%.
Natural hue	Not changed more than 10 Munsell units.
Oil/grease film, scum, foam, odour	No conspicuous oil or grease film, scums or foams, floatable or suspended materials, or emissions of objectionable odour.

- 13 The Consent Holder shall keep the coastal marine area free of debris resulting from the Consent Holder's activities.
- 14 The Consent Holder shall, for the purposes of adequately monitoring the consent as required under Section 35 of the Act, on becoming aware of any contaminant associated with the Consent Holder's operations escaping otherwise than in conformity with this consent:

- (a) Immediately take such action, or execute such work as may be necessary, to stop and/or contain such escape; and
- (b) Immediately notify the Northland Regional Council by telephone of an escape of contaminant; and
- (c) Take all reasonable steps to remedy or mitigate any adverse effects on the environment resulting from the escape; and
- (d) Report to the Northland Regional Council in writing within one week on the cause of the escape of the contaminant and the steps taken or being taken to effectively control or prevent such escape.

15 The Northland Regional Council may, in accordance with Section 128 of the Resource Management Act 1991, serve notice on the Consent Holder of its intention to review the conditions of this consent annually during the month of March. The review may be initiated for any one or more of the following purposes:

- (a) To deal with any adverse effects on the environment that may arise from the exercise of the consent and which it is appropriate to deal with at a later stage, or to deal with any such effects following assessment of the results of the monitoring of the consent and/or as a result of the Northland Regional Council's monitoring of the state of the environment in the area.
- (b) To deal with any material inaccuracies that may in future be found in the information made available with the application. (Notice may be served at any time for this reason.)

The Consent Holder shall meet all reasonable costs of any such review.

16 Prior to the expiry, cancellation, or lapsing of this consent the Consent Holder shall remove all structures and other materials and refuse associated with this consent from the consent area and shall restore the consent area to the satisfaction of the Northland Regional Council, unless an application for a replacement consent has been properly made beforehand.

EXPIRY DATE: 31 JULY 2020

CON20090625201 Non Notified Replacement

**WHANGAREI DISTRICT COUNCIL (PARKS DIVISION), PRIVATE BAG 9023,
WHANGAREI MAIL CENTRE, WHANGAREI 0148**

To place, use and occupy space in the coastal marine area between Pile Road West and the One Tree Point, at or about location co-ordinates 1730875E 6034740N with:

- (01)** A wooden seawall;
- (02)** A 55 metre rock revetment;
- (03)** Three rock revetments (80, 25 and 70 metres long);
- (04)** To use heavy machinery in the coastal marine area for the purposes of repairs and maintenance of the seawall and revetment structures.

Note: All location co-ordinates in this document refer to Geodetic Datum 2000, New Zealand Transverse Mercator Projection.

Subject to the following conditions:

- 1 This consent applies only to the structures identified on NRC Plan No. **4298** attached.
- 2 The Consent Holder shall surrender resource consents CON19980625202 and CON19980625203 in writing within one month of the date of commencement of resource consents CON20090625202 and CON20090625203.
- 3 The Consent Holder shall mark the wooden seawall with the number **6252** in black lettering on a white background clearly displayed and in such a manner as to be clearly visible from the land.
- 4 The Consent Holder shall notify the Northland Regional Council in writing of the date repair or maintenance work is intended to commence at least two weeks beforehand, and as soon as the work is completed.
- 5 The Consent Holder shall ensure that a copy of this consent is provided to the person who is to carry out the repair or maintenance work. A copy of the consent shall be held on site, and available for inspection by the public, during repairs or maintenance.
- 6 All machinery used in the coastal marine area during the repairs or maintenance of the seawall or revetments, shall remain to the landward side of the tide at all times.
- 7 All vehicles or equipment entering the coastal marine area associated with the exercise of this consent shall be in good state of repair and free of any leaks eg. oil, diesel etc.
- 8 Fuelling and maintenance of plant and equipment used during any repair or maintenance work to the seawall or revetment structures shall not be carried out in the coastal marine area or in any other location near the site where fuel or oil could enter the coastal marine area.
- 9 The consent shall only be exercised only between the daylight hours of 7:00 am and 6:00 pm in regard to repairs and maintenance.
- 10 All backfill material used in repair or maintenance of the seawall and revetments shall be of sufficient size and density and placed so as to preclude its movement out of the structure.
- 11 Sand or shell from the adjacent foreshore shall not be used in any repair or maintenance work.
- 12 The Consent Holder shall exercise this consent in a manner which ensures that the quality of the receiving waters, at any point 10 metres from the seawall or revetment, always meets the following standard as a result of the exercise of this consent:

Standard	Contact Recreation Standard CB
Natural visual clarity	Not reduced more than 20%.
Natural hue	Not changed more than 10 Munsell units.
Oil/grease film, scum, foam, odour	No conspicuous oil or grease film, scums or foams, floatable or suspended materials, or emissions of objectionable odour.

- 13 The Consent Holder shall keep the coastal marine area free of debris resulting from the Consent Holder's activities.
- 14 The Consent Holder shall maintain the structures covered by this consent in good order and repair.
- 15 The Consent Holder shall, for the purposes of adequately monitoring the consent as required under Section 35 of the Act, on becoming aware of any contaminant associated with the Consent Holder's operations escaping otherwise than in conformity with this consent:
- (a) Immediately take such action, or execute such work as may be necessary, to stop and/or contain such escape; and
 - (b) Immediately notify the Northland Regional Council by telephone of an escape of contaminant; and
 - (c) Take all reasonable steps to remedy or mitigate any adverse effects on the environment resulting from the escape; and
 - (d) Report to the Northland Regional Council in writing within one week on the cause of the escape of the contaminant and the steps taken or being taken to effectively control or prevent such escape.
- 16 The Northland Regional Council may, in accordance with Section 128 of the Resource Management Act 1991, serve notice on the Consent Holder of its intention to review the conditions of this consent annually during the month of March. The review may be initiated for any one or more of the following purposes:
- (a) To deal with any adverse effects on the environment that may arise from the exercise of the consent and which it is appropriate to deal with at a later stage, or to deal with any such effects following assessment of the results of the monitoring of the consent and/or as a result of the Regional Council's monitoring of the state of the environment in the area.
 - (b) To deal with any material inaccuracies that may in future be found in the information made available with the application. (Notice may be served at any time for this reason.)
- The Consent Holder shall meet all reasonable costs of any such review.
- 17 Prior to the expiry, cancellation, or lapsing of this consent the Consent Holder shall remove all structures and other materials and refuse associated with this consent from the consent area and shall restore the consent area to the satisfaction of the Northland Regional Council, unless an application for a replacement consent has been properly made beforehand.

EXPIRY DATE: 31 MARCH 2044

CON20081107801

Non Notified Replacement

RAWHITIROA MARAE, C/O RANGA HOHIA - CHAIRPERSON, 444 STATE HIGHWAY 1, RD 2, KAIKOHE 0472

To undertake the following activities associated with a wastewater treatment and disposal system servicing the Rawhitiroa Marae and associated buildings in the catchment of the Waitangi River on Hauhaupounamu B1 Blk VIII Omapere SD, at or about location co-ordinate 1676263 E 6089686 N:

- (01)** To discharge treated wastewater to land.
- (02)** To discharge contaminants to air (primarily odour).

Note: All location co-ordinates in this document refer to Geodetic Datum 2000, New Zealand Transverse Mercator Projection:

Subject to the following conditions:

(01) Discharge to Ground

- 1 The maximum quantity of wastewater discharged to land shall not exceed 9.5 cubic metres within any consecutive 24 hour period. In addition, the average daily quantity of wastewater discharged to land shall not exceed 4.5 cubic metres, averaged over each calendar month.
- 2 The treatment and disposal system shall be constructed generally in accordance with the recommendations contained in the Haigh Development Consultants report entitled "Resource Consent Application – Rawhitiroa Marae Discharge to Ground", Ref: 02 111, dated 13 June 2003, including the plan entitled "Proposed Plan Rawhitiroa Marae", Ref 02 111, dated 22/10/02 (attached). However, if there are any differences or apparent conflict between these documents and any conditions of this consent, then the conditions of consent shall prevail.
- 3 The wastewater treatment system shall, as a minimum, include the following:
 - (a) Three septic tanks that each have a minimum storage capacity of 4,500 litres;
 - (b) A grease trap that has a minimum storage capacity of 3,000 litres servicing the kitchen block; and
 - (c) An appropriately sized septic tank filter that screens suspended solid particles greater than 3.5 millimetres in diameter from the wastewater installed on the outlet of the central septic tank which is located prior to the disposal system. For the purpose of this condition, "an appropriately sized septic tank filter" is one that has been specifically designed for a discharge volume of 9.5 cubic metres per day.
- 4 The Consent Holder shall install and maintain a meter with an accuracy of $\pm 5\%$ on the outlet from the wastewater treatment system to the disposal area. This meter shall be used to measure the quantity of wastewater discharged to land, and shall be installed within three months of the date of commencement of this consent.

- 5 The installation of the wastewater treatment and disposal system shall be supervised by a suitably experienced and qualified person. The Consent Holder shall, at least two weeks prior to the installation of wastewater treatment and disposal system, notify the Council in writing of the proposed date that the wastewater treatment and disposal system is to be installed and the name of the proposed installer.
- 6 The Consent Holder shall, within two weeks after the treatment and disposal system has been installed, forward to the Council:
 - (a) A certificate of compliance or produce a statement from that suitably experienced and qualified person. The certificate or statement shall provide sufficient details and information to enable the Council to determine compliance with Conditions 2 – 4. To enable compliance with Condition 3(c), a copy of the manufacturers operating specifications for the septic tank filter shall be forwarded to the Council; and
 - (b) Final “as built” plans that show the siting of all components of the wastewater treatment and disposal system. For the purpose of this Condition, the Consent Holder should ensure that the “as built” plans are drawn to scale and provide sufficient detail for a Council monitoring officer to locate all features identified on the plans.
- 7 Stormwater and groundwater shall be prevented from entering the wastewater reticulation and treatment system. In addition, stormwater from surrounding areas shall be prevented, as far as is practicable, from entering the disposal area.
- 8 There shall be no ponding of wastewater within, nor surface runoff of any contaminants from, the wastewater treatment and disposal areas as a result of the exercise of this consent.
- 9 The Consent Holder shall keep written records of the quantity of wastewater discharged to land on all days that the marae is used, as well as the quantity of wastewater discharged to land each calendar month. A copy of the records for the previous year (1 April to 31 March) shall be forwarded to the Council by 1 May each year, and also immediately on written request by the Council.

(02) Discharge to Air

- 10 The Consent Holder’s operations shall not give rise to any discharge of contaminants to air at or beyond the legal property boundary of the marae which is deemed by a suitably trained and experienced Enforcement Officer of the Council to be noxious, dangerous, offensive or objectionable to such an extent that it has, or is likely to have, an adverse effect.

General

- 11 The Consent Holder shall ensure that a suitably qualified and experienced person maintains the wastewater treatment and disposal system so that it works effectively at all times. As a minimum, the maintenance undertaken shall include, but not be limited to, regular inspections of the sludge and scum level within the septic tank, desludging of the septic tank when necessary, and regular cleaning of the effluent filter. A written copy of the maintenance undertaken shall be kept and provided to the Council immediately on request by the Council.

Advice Note: *For compliance purposes, a “suitably qualified and experienced person” would be a person who can provide evidence of satisfactory qualifications and/or experience in maintaining the type of wastewater treatment and disposal system installed.*

- 12 For the purposes of the lapsing provisions of Section 125 of the Act, this consent shall not lapse until its expiry date.
- 13 The Consent Holder shall, for the purposes of adequately monitoring the consent as required under Section 35 of the Act, on becoming aware of any contaminant associated with the Consent Holder’s operations escaping otherwise than in conformity with this consent:
- (a) Immediately take such action, or execute such work as may be necessary, to stop and/or contain such escape; and
 - (b) Immediately notify the Council by telephone of an escape of contaminant; and
 - (c) Take all reasonable steps to remedy or mitigate any adverse effects on the environment resulting from the escape; and
 - (d) Report to the Council in writing within one week on the cause of the escape of the contaminant and the steps taken or being taken to effectively control or prevent such escape.
- 14 The Council may in accordance with Section 128 of the Resource Management Act 1991, serve notice on the Consent Holder of its intention to review the conditions of this consent annually during the month of November. The review may be initiated for any one or more of the following purposes:
- (a) To deal with any adverse effects on the environment that may arise from the exercise of the consent and which it is appropriate to deal with at a later stage, or to deal with any such effects following assessment of the results of the monitoring of the consent and/or as a result of the Council’s monitoring of the state of the environment in the area;
 - (a) To require the adoption of the best practicable option to remove or reduce any adverse effect of the discharges on the environment;
 - (c) To provide for compliance with rules in any regional plan that has been made operative since the commencement of the consent;
 - (d) To take into account any relevant national environmental standard;
 - (e) To deal with any inadequacies or inconsistencies the Council considers there to be in the conditions of the consent, following the establishment of the activity the subject of the consent; and
 - (e) To deal with any material inaccuracies that may in future be found in the information made available with the application (notice may be served at any time for this reason).

The Consent Holder shall meet all reasonable costs of any such review.

EXPIRY DATE: 30 APRIL 2019

CON20080358001 Non Notified Replacement

RANGAUNU ORCHARD LIMITED, 501 PAPARORE ROAD, RD 1, AWANUI 0486

To take water from a bore in the catchment of Rangaunu Harbour on Lot 2 DP338177 Blk VII Opoe SD, Paparore Road, at location co-ordinates 1618726E 6129089N

Note: All location co-ordinates referred to in this document are Geodetic Datum 2000, New Zealand Transverse Mercator Projection.

For the purpose of horticultural irrigation on that property subject to the following conditions:

- 1 The quantity taken from the bore shall not exceed:
 - (a) 250 cubic metres within any consecutive 24 hour period; nor
 - (b) 35,000 cubic metres within the 12 month period between 1 April and 31 March.
- 2 The Consent Holder shall install, operate and maintain a meter with an accuracy of $\pm 5\%$ to measure the quantities taken from the aquifer. The meter shall be installed, operated and maintained in accordance with the manufacturer's specifications. The Consent Holder shall, at all times, provide safe and easy access to this meter for the purposes of undertaking visual inspections of the meter and water take measurements.
- 3 The Consent Holder shall keep written records of the quantity of water taken daily. A copy of these records for the previous 12 month period (1 April to 31 March) shall be forwarded to the Council by 1 May each year, and also immediately upon written request by the Council.

Advice Note: *In the event that no water is taken for the previous irrigation season, the Consent Holder is still requested to notify the Council in writing of the NIL abstraction.*

- 4 Easy access for a water level probe shall be provided and maintained at the wellhead to enable the measurement of static water levels in the bore.
- 5 The Council may, in accordance with Section 128 of the Resource Management Act 1991, serve notice on the Consent Holder of its intention to review the conditions of this consent. Such notice may be served annually during the month of May. The review may be initiated for any one or more of the following purposes:
 - (a) To deal with any adverse effects on the environment that may arise from the exercise of the consent and which it is appropriate to deal with at a later stage, or to deal with any such effects following assessment of the results of the monitoring of the consent and/or as a result of the Council's monitoring of the state of the environment in the area;
 - (b) To require the adoption of the best practicable option to remove or reduce any adverse effect on the environment;
 - (c) To provide for compliance with rules in any regional plan that has been made operative since the commencement of the consent;
 - (d) To take into account any relevant national environmental standard;

- (e) To deal with any inadequacies or inconsistencies the Council considers there to be in the conditions of the consent, following the establishment of the activity the subject of the consent;
- (f) To deal with any material inaccuracies that may in future be found in the information made available with the application (notice may be served at any time for this reason); and
- (g) To review the allocation specified in Condition 1, to ensure the efficient allocation of the resource.

EXPIRY DATE: 30 NOVEMBER 2025

CON20092367101 Non Notified New

TRACEY ELIZABETH SPIRRETT, 63 SAN VALENTINO DRIVE, HENDERSON, AUCKLAND 0612

To carry out the following activities at 517 Helmsdale Road, Waipu, within the catchment of an unnamed tributary of North River on Lot 1 DP 191480 Blk XII Ruakaka SD at or about location co-ordinates 1722938E 6018762N.

Note: All location co-ordinates in this document refer to Geodetic Datum 2000, New Zealand Transverse Mercator Projection.

- (01)** Dam an unnamed tributary for the purpose of creating a wetland.
- (02)** Divert an unnamed tributary.

Subject to the following conditions:

- 1 The Consent Holder shall ensure that the remedial works are carried out in accordance with the following sketch plans:
 - “Plan of Wetland Repair”, (attached);
 - “Dam Length and Width”, (attached); and
 - “Dam Cross Section” (attached).
- 2 The Consent Holder shall ensure that the works are carried out in such a manner as to comply with the Environmental Standards detailed in Section 32.1 and 32.2 of the Regional Water and Soil Plan (attached), unless otherwise more rigidly constrained by the other conditions of this consent.
- 3 No earthworks shall be carried out under or immediately before weather conditions which would lead to scouring of slopes and soil erosion, nor shall any earthworks be carried out between 1 June and 30 September in any year without the prior written approval of the Council.
- 4 To minimise erosion and sedimentation, all areas of bare land not intended to be covered by stored water shall be covered with a minimum of 50 millimetres of topsoil and established with a suitable grass/legume mixture to achieve an 80% groundcover following completion of the work. This cover shall be established by 31 May at the latest in the year of construction.

- 5 Any outflows of water from the dam shall be effectively dissipated to prevent scouring. The spillway shall be constructed and maintained to cope with all flood events up to and including a 1 in 100 year return period.
- 6 The dam face and grassed spillway shall be maintained in a sward of grass and/or legume species, and shall not be grazed in such a manner as would result in erosion.
- 7 Refuelling and servicing of machinery shall not be carried out in such a way that soil or water at the site is contaminated. Where an accidental spillage to land occurs, all contaminated soil shall be collected and removed to a suitable disposal site.
- 8 The Council may, in accordance with Section 128 of the Resource Management Act 1991, serve notice on the Consent Holder of its intention to review the conditions of this consent annually during the month of June. The review may be initiated for any one or more of the following purposes:
 - (a) To deal with any adverse effects on the environment that may arise from the exercise of the consent and which it is appropriate to deal with at a later stage, or to deal with any such effects following assessment of the results of the monitoring of the consent and/or as a result of the Council's monitoring of the state of the environment in the area.
 - (b) To provide for compliance with rules in any regional plan that has been made operative since the commencement of the consent.
 - (c) To deal with any inadequacies or inconsistencies the Council considers there to be in the conditions of the consent, following the establishment of the activity the subject of the consent.
 - (d) To deal with any material inaccuracies that may in future be found in the information made available with the application. (Notice may be served at any time for this reason.)
 - (e) To change existing, or impose new limits on total suspended solids.

The Consent Holder shall meet all reasonable costs of any such review.

EXPIRY DATE: 30 JUNE 2012

CON20092348701 Non Notified New

WHANGAREI DISTRICT COUNCIL, (ROADING DIVISION), C/O MWH NZ LTD, PO BOX 12941, PENROSE, AUCKLAND 1642

To place, use, and occupy space in the coastal marine area with:

- (01)** A rock revetment up to 295 metres long;
- (02)** A beach access walkway;
- (03)** Disturbance of approximately 2450 cubic metres of foreshore associated with the construction, repairs and maintenance of a rock revetment and a beach access walkway,

at One Tree Point, Whangarei, at or about location co-ordinates 1731750E 6034750N.

Note: All location co-ordinates in this document refer to Geodetic Datum 2000, New Zealand Transverse Mercator Projection.

Subject to the following conditions:

- 1 This consent applies only to the revetment and beach access walkway identified on NRC Plan No. **4297-1** attached.
- 2 Construction of the revetment shall be in general accordance with NRC Plan Nos. **4297-2, 4297-3, 4297-4.**
- 3 The Consent Holder shall mark the revetment and the beach access walkway with the number **23487**, in black lettering on a white background clearly displayed and in such a manner as to be clearly visible from land.
- 4 The Consent Holder shall notify the Northland Regional Council in writing of the date construction, repairs or maintenance work is intended to commence at least two weeks beforehand, and as soon as the work is completed.
- 5 The Consent Holder shall ensure that a copy of this consent is provided to the person who is to carry out the construction, repairs or maintenance work. A copy of the consent shall be held on site, and available for inspection by the public, during construction.
- 6 All machinery and equipment used in the coastal marine area during the construction, repairs or maintenance of the revetment, shall keep to the landward side of the tide at all times.
- 7 All machinery and equipment entering the coastal marine area associated with the exercise of this consent shall be in good state of repair and free of any leaks eg. oil, diesel etc.
- 8 Fuelling and maintenance of machinery and equipment used during any construction repair or maintenance work to the revetment or beach access walkway shall not be carried out in the coastal marine area or in any other location near the site where fuel or oil could enter the coastal marine area.
- 9 Work on site associated with this consent shall only occur during daylight hours.
- 10 All material used in the construction of the revetment shall be of sufficient size and density and placed so as to preclude its movement out of the revetment and into the coastal marine area.

Advice Note: *Use of an appropriate grade of geotextile immediately behind the revetment may assist in compliance with this condition.*
- 11 Foreshore material excavated during the construction, repairs and maintenance of the rock revetment and beach access walkway shall either be placed within the works or on the adjacent foreshore.
- 12 Sand or shell from the foreshore away from the footprint of the rock revetment and beach access walkway shall not be used in the construction, repairs or maintenance works of/to the revetment and beach access walkway, unless a resource consent authorising this is held.

13 The Consent Holder shall keep the coastal marine area free of debris resulting from the Consent Holder’s activities.

14 The Consent Holder shall exercise this consent in a manner which ensures that the quality of the receiving waters, at any point 10 metres from the revetment, always meets the following standard during the exercise of this consent;

Standard	Contact Recreation Standard CB
Natural visual clarity	Not reduced more than 20%.
Natural hue	Not changed more than 10 Munsell units.
Oil/grease film, scum, foam, odour	No conspicuous oil or grease film, scums or foams, floatable or suspended materials, or emissions of objectionable odour.

15 The Consent Holder shall maintain the facilities covered by this consent in good order and repair.

16 The Consent Holder shall, for the purposes of adequately monitoring the consent as required under Section 35 of the Act, on becoming aware of any contaminant associated with the Consent Holder’s operations escaping otherwise than in conformity with this consent:

- (a) Immediately take such action, or execute such work as may be necessary, to stop and/or contain such escape; and
- (b) Immediately notify the Northland Regional Council by telephone of an escape of contaminant; and
- (c) Take all reasonable steps to remedy or mitigate any adverse effects on the environment resulting from the escape; and
- (d) Report to the Northland Regional Council in writing within one week on the cause of the escape of the contaminant and the steps taken or being taken to effectively control or prevent such escape.

17 The Northland Regional Council may, in accordance with Section 128 of the Resource Management Act 1991, serve notice on the Consent Holder of its intention to review the conditions of this consent annually during the month of March. The review may be initiated for any one or more of the following purposes:

- (a) To deal with any adverse effects on the environment that may arise from the exercise of the consent and which it is appropriate to deal with at a later stage, or to deal with any such effects following assessment of the results of the monitoring of the consent and/or as a result of the Northland Regional Council’s monitoring of the state of the environment in the area.
- (b) To deal with any material inaccuracies that may in future be found in the information made available with the application. (Notice may be served at any time for this reason.)

The Consent Holder shall meet all reasonable costs of any such review.

18 Prior to the expiry, cancellation, or lapsing of this consent the Consent Holder shall remove all structures and other materials and refuse associated with this consent from the consent area and shall restore the consent area to the satisfaction of the Northland Regional Council, unless an application for a replacement consent has been properly made beforehand.

EXPIRY DATE: 31 MARCH 2042

CON20092263401 Non Notified New

ATLAS QUARRIES LIMITED, PO BOX 21, MAUNGATUROTO 0547

To carry out the following activities associated with the development of new overburden disposal site at Atlas Quarries, SH 1, Brynderwyn, within the catchment of an unnamed tributary of Waihoiohi Stream on Pt Sec 14 and Pt Allot 386, Blk X Waipu SD at or about location co-ordinates 1729584E 6007358N.

Note: All location co-ordinates in this document refer to Geodetic Datum 2000, New Zealand Transverse Mercator Projection.

- (01)** Clear vegetation within a Riparian Management Zone.
- (02)** Place overburden at the rate of approximately 200,000 m³ per annum, including within a Riparian Management Zone.
- (03)** Place overburden over the bed of a watercourse.
- (04)** Discharge stormwater to water via silt detention ponds.
- (05)** Divert stormwater and a watercourse associated with land disturbance activities.
- (06)** Place a pipeline within the bed of a watercourse.
- (07)** Temporarily dam a watercourse for the purposes of diverting stormwater flows within the footprint of the fill area.

Subject to the following conditions:

- 1 The Consent Holder shall ensure that quarrying operations are undertaken generally in accordance with the following plans and documents for Atlas Quarries Ltd:
 - (a) The Hawthorn Geddes plan entitled: "Gully Fill Artillery Road, Waipu, Sediment Retention – Stage 1"; Ref: 7320, Sheet C01, Rev R1; dated 06/07/09 (attached);
 - (b) The Hawthorn Geddes plan entitled: "Gully Fill Artillery Road, Waipu, Sediment Retention – Final Stage"; Ref: 7320, Sheet C02, Rev R1; dated 06/07/09 (attached);
 - (c) The Hawthorn Geddes plan entitled: "Gully Fill Artillery Road, Waipu, Details"; Ref: 7320, Sheet C03, Rev R1; dated 06/07/09 (attached);
 - (d) The Reyburn and Bryant plan entitled: "Figure 7.2, Proposed Finished Contours"; Ref: 11583, Sheet 2, Rev B; dated 29/05/09 (attached);
 - (e) The Reyburn and Bryant plans entitled: "Figures 7.3, and 7.4 Cross Sections A-A, B-B, C-C, D-D, and E-E"; Ref: 11583, Sheets 3 and 4, Rev B; dated 29/05/09 (attached);
 - (f) The Reyburn and Bryant plan entitled: "Figure 7.5 Long Sections F-F"; Ref: 11583, Sheet 5, Rev B; dated 29/05/09 (attached);

- (g) The Reyburn and Bryant plan entitled: “Figure 8 Schematic Plan (Long section) Showing Proposed Staged Development (Indicative Only), Progressive Silt Ponds and Central Rubble Drain”; Adapted SLW; dated 1/6/09 (attached);
 - (h) The Reyburn and Bryant plan entitled: “Figure 9 Contour Plan showing Proposed Final Drains when Development is Complete”; Adapted SLW; dated 1/6/09 (attached).
- 2 The Consent Holder shall notify the Council and Department of Conservation in writing at least 2 weeks prior to the commencement of each seasonal overburden stripping operation, and shall arrange and conduct a pre-construction site meeting between Council’s Monitoring Officer, quarry staff and the Department of Conservation prior to the commencement of any works at the fill site.
- Advice Note:** *The purpose of notifying the Department of Conservation is to enable its staff to further check for the presence of Hochstetter Frogs following the clearance of debris from the watercourse, and install alert notices on its website relating to the use of the Brynderwyn Walkway.*
- 3 No earthworks or overburden placement shall be carried out between 1 May and 30 September in any year without the prior written approval of the Council’s Monitoring Senior Programme Manager.
- 4 The Consent Holder shall at least two weeks prior to the commencement of any earthworks, prepare an Erosion and Sediment Control Plan (ESCP) which sets out the practices and procedures with respect to the overburden fill site to be adopted in order that compliance with the conditions of this consent are achieved. As a minimum, the ESCP shall include the following:
- (a) A plan showing the proposed development, staging, and site layout;
 - (b) Details of erosion and sediment control measures, ‘clean’ water diversions and drainage systems;
 - (c) Details of the measures to be adopted to separate ‘clean’ upper catchment stormwater runoff, from areas of land disturbance during the period of earthworks;
 - (d) Supporting calculations and catchment boundaries for the erosion and sediment controls;
 - (e) Monitoring procedures to ensure ongoing slope stability;
 - (f) Monitoring procedures to ensure adverse effects on water quality in the Waihoihoi Stream tributary are minimised downstream of the sediment detention ponds;
 - (g) A monitoring programme which identifies sampling sites, sampling methodology, and analyses details in accordance with the Monitoring Programme (attachment 1);
 - (h) Contingency containment and cleanup provisions in the event of accidental spillage of hazardous substances;
 - (i) The name and contact telephone number of the person responsible for monitoring and maintaining all erosion and sediment control measures;
 - (j) Contingency provisions for large/high intensity rain storm events; and

- (k) Rehabilitation measures to be adopted following the completion of overburden placement.

The Consent Holder may review and amend the ESCP in consultation with the Council, at any time, during the period of the consent. The Consent Holder shall undertake the activities authorised by this consent in accordance with the ESCP or the amendment.

Advice Note: *The ESCP requirement is additional to the information already provided in the application, which addresses item (a) but provides preliminary sediment control details only.*

- 5 Prior to the commencement of works the consent holder shall submit a “Chemical Management Plan” to the Council for the purpose of treating stormwater from the overburden fill site. This document shall (as a minimum) include the following:
- The assessment criteria to determine the need for chemical treatment;
 - Specific design details of the chemical treatment system;
 - Monitoring, maintenance (including post-storm) and contingency programme (including a record sheet);
 - Details of optimum dosage (including assumptions);
 - Results of the initial coagulation trial;
 - Procedure for the storage of chemical(s) onsite;
 - A spill contingency plan;
 - Details of the person or bodies that will hold responsibility for long-term maintenance of the flocculation treatment system.
- 6 All works in the base of the watercourse shall be undertaken during periods of low or nil flows, with any flows from the upper catchment diverted around the area of works during the period of construction. Works shall be timed to coincide with a predicted period of dry weather.
- 7 The area of vegetation cleared shall be limited to that necessary for the next stage of fill placement, and shall not be more than 2 ha at any one time.
- 8 All clean water diversions shall be capable of conveying stormwater during not less than the estimated 1 in 20 year storm event from the contributing catchment during the period of filling operations, and conveying not less than the 1 in 100 year storm event following the completion of seasonal earthworks operations and on completion of works at the site. All clean water diversions shall be stabilised to prevent failure of side slopes, and all channels on grades of greater than 2% shall be lined with suitable scour protection, all channel outlets shall be rock armoured to avoid creating erosion features. All vehicle access into the fill site shall be undertaken in a manner that ensures the ongoing functioning of the clean water diversions to the above standards at the end of each working day, and during non-working periods.
- 9 All discharges of sediment laden stormwater from areas of land disturbance shall be via suitably designed and constructed sediment detention structures.

Furthermore, the Consent Holder shall remove accumulated sediment from each sediment detention structure before the sediment level reaches one third of its volume (holding capacity). All sediment removed from the sediment detention structures shall be placed in a stable position where it will not enter any water body nor re-enter any sediment detention structure.

- 10 All sediment retention ponds shall have a minimum storage volume of 3% (30 m³ per 1,000 m²) of the contributing catchment area.
- 11 All sediment retention ponds shall be constructed to withstand the 1 in 100 year frequency storm event without failing (in part or in whole), and shall incorporate an emergency spillway to accommodate that event.
- 12 Sediment control measures shall be constructed in accordance with the principles and practices contained within the document entitled “Erosion and Sediment Control – Guidelines for Land Disturbing Activities”, Auckland Regional Council Technical Publication No. 90, dated March 1999.
- 13 The Consent Holder shall submit a certificate signed by an appropriately qualified and experienced person that the erosion and sediment controls have been constructed in accordance with the ESCP and Conditions 8-12 of this consent, and prior to the commencement of other works.

Information supplied shall include:

- Contributing catchment area;
 - Retention volume of structures;
 - Shape of structures;
 - Position of inlets/outlets;
 - Stabilisation of the structure;
 - Size of diversions(s) and method of stabilisation.
- 14 All haul roads within the Waihoihoi Stream Catchment shall be protected against erosion by covering with aggregate immediately following construction, and provided with suitable drainage measures to prevent scouring during the overburden haulage operations. Upon the completion of each season’s filling operations, the haul road shall be provided with suitable cut-offs / culverts, and drainage to prevent scouring of the haul road.
 - 15 The fill material shall be placed and compacted in accordance with the Hawthorn Geddes “Atlas Brynderwyn Quarry Overburden Filling Engineering Report”, dated 7 July 2009 (attached). All works shall be supervised by a suitably qualified and experienced Chartered Professional Engineer, who shall ensure that all works are undertaken in a manner that complies with this report to ensure long term stability of the fill site. Within 1 month following the completion of each season’s earthworks, a report from a suitably qualified and experienced Chartered Professional Engineer shall be provided to the Council.

- 16 The fill area shall be constructed and shaped progressively to ensure all stormwater is directed towards the immediate upslope sediment retention pond in a manner that ensures positive drainage off the fill site. No drainage pathways shall be constructed or permitted to flow over the fill area in a manner that creates erosion of the fill material or downstream face.
- 17 To minimise sediment loss, the overburden fill area shall be stabilised against erosion progressively, and within one month following the completion of each seasons fill placement operations. Stabilisation shall include covering with aggregate, use of suitable geotextile material, mulch, and/or topsoiling and establishing with suitable groundcover vegetation to achieve not less than an 80% ground cover by 31 May following each season's earthworks activities.
- 18 Notwithstanding any other conditions of these consents, the discharges of stormwater from the fill area shall not cause the quality of the receiving waters, as measured in the tributary 50 m downstream of the fill area, to fall below the following standards, compared to a site upstream of the earthworks area or in an adjacent tributary during the same sampling event:
- (a) The production of conspicuous oil or grease films, scums or foams, floatable or suspended materials, nor emissions of objectionable odour;
 - (b) Any reduction in visual clarity by more than 40%;
 - (c) The destruction of natural aquatic life by reason of a concentration of toxic substances;
 - (d) Any change in colour by more than 10 Munsell units.
- 19 The Consent Holder's operations shall not give rise to any discharge of contaminants to air (dust) along the legal road and walkway which is deemed by a suitably trained and experienced Enforcement Officer of the Council to be noxious, dangerous, offensive or objectionable to such an extent that it has, or is likely to have, an adverse effect on the environment, nor shall dust be created that would cause health and safety concerns to users of the Brynderwyn Walkway.
- 20 Pedestrian access along the Brynderwyn Walkway easement through the property shall be maintained and open for use at all times unless, in consultation with the Department of Conservation, it is agreed that temporary closure is necessary for safety reasons.
- 21 The Consent Holder shall erect warning signs with appropriate wording advising users of the Brynderwyn Hills Walkway, of the presence of trucks and other machinery operating along the walkway. That section of the access haul road utilised as a walkway shall be widened (where possible) and trimmed of vegetation to enhance visibility and safety for trampers and quarry operators.
- Advice Note:** *The wording on the signs should be as agreed with Department of Conservation staff.*
- 22 Refuelling and servicing of machinery shall not be carried out in such a way that soil or water at the site is contaminated. Where an accidental spillage occurs, all contaminated material shall be collected and removed to a suitable disposal site.

- 23 In the event of archaeological sites or koiwi being uncovered, activities in the vicinity of the discovery shall cease. The Consent Holder shall then consult with Environs Holdings Ltd and the New Zealand Historic Places Trust, and shall not recommence works in the area of the discovery until the relevant Historic Places Trust approvals to damage, destroy or modify such sites have been obtained.
- 24 The Council may, in accordance with Section 128 of the Resource Management Act 1991, serve notice on the Consent Holder of its intention to review the conditions of these consents annually during the month of March. The review may be initiated for any one or more of the following purposes:
- (a) To deal with any adverse effects on the environment that may arise from the exercise of the consent and which it is appropriate to deal with at a later stage, or to deal with any such effects following assessment of the results of the monitoring of the consent and/or as a result of the Council's monitoring of the state of the environment in the area;
 - (b) To require the adoption of the best practicable option to remove or reduce any adverse effect on the environment;
 - (c) To provide for compliance with rules in any regional plan that has been made operative since the commencement of the consent;
 - (d) To deal with any inadequacies or inconsistencies the Council considers there to be in the conditions of the consent, following the establishment of the activity the subject of the consent; and
 - (e) To deal with any material inaccuracies that may in future be found in the information made available with the application (notice may be served at any time for this reason).

The Consent Holder shall meet all reasonable costs of any such review.

EXPIRY DATE: 31 MAY 2024

SUMMARY OF CONSENT APPLICATIONS – AUPOURI GROUNDWATER TAKES

Consent Number	Applicants Name	Application/ Allocation	Location of Proposed Take	Legal Description of Take Site
20080245901	Avocado Orchards Limited	To take groundwater from a bore for horticultural requirements at a rate not exceeding: (a) 315 cubic metres per day, (b) 1,575 cubic metres in any consecutive 7 day period, and (c) 21,000 cubic metres per calendar year.	Far North Road	Lot 2 96247 Blk VII Opoe SD

Consent Number	Applicants Name	Application/ Allocation	Location of Proposed Take	Legal Description of Take Site
20080379801	G R Baird	To take groundwater from a bore for horticultural requirements at a rate not exceeding: (a) 100 cubic metres per day, and (b) 16,500 cubic metres per calendar year.	Far North Road	Lot 3 DP 96247 Blk VII Opoe SD
20080435001	A J Hayward & J M Hayward	To take groundwater from a bore for horticultural irrigation at a rate not exceeding: (a) 365 cubic metres per day, and (b) 24,000 cubic metres per calendar year	Imms Road	Take and Use Site Lot 11 DP 117825 Blk VII Opoe SD
20080817701	J B & G M Clark	To take groundwater from a bore for horticultural requirements at a rate not exceeding: (a) 365 cubic metres per day, and (b) 24,000 cubic metres per calendar year.	Imms Road	Take Site Lot 11 DP 117825 Blk VII Opoe SD Use Site Lot 6 DP117825 Blk VII Opoe SD Lot 2 DP117825 Blk VII Opoe SD
20080456401	Far North Farms Limited	To take groundwater from a bore for horticultural requirements at a rate not exceeding: (a) 500 cubic metres per day, and (b) 80,000 cubic metres per calendar year.	Paparore Road	Lot 1 DP 116093 Sec 44 Blk VII Opoe SD

Consent Number	Applicants Name	Application/ Allocation	Location of Proposed Take	Legal Description of Take Site
20080396801	D G Inglis & H A Inglis	To take groundwater from two bores for horticultural requirements at a rate not exceeding: (a) 200 cubic metres per day, and (b) 25,000 cubic metres per calendar year.	Paparore Road	Lot 2 DP 116093 Blk VII Opoe SD
20080946501	B G Armatage	To take groundwater from a bore for horticultural requirements at a rate not exceeding: (a) 60 cubic metres per day, and (b) 10,500 cubic metres per calendar year.	Spains Road	Lot 2 DP 61152 Blk VIII Opoe SD

THE FOLLOWING NON-NOTIFIED DECISIONS ON FARM DAIRY EFFLUENT WERE ISSUED DURING THIS TIME:

Consent No.	Name	Address	Description
20091046001	C C & K M Hickey	351 Oparakau Road RD 2 Matakohe 0594	To undertake the following activities associated with the operation of a dairy shed in the catchment of the Te Awaoteaouhi Stream on Pt Allotments W42, S44 and M44 Blk IX Matakohe SD.
20090947501	Northern Dairylands Limited	Private Bag 92211 Auckland Mail Centre Auckland 1142	To undertake the following activities associated with the operation of a dairy shed and a feed pad in the catchment of the Kaihu River on Kaihu 2C Blk VII Kaihu SD.
20090967901	M C & S L Bellamy	427 Rehia Road RD 2 Ruawai 0592	To undertake the following activities associated with the operation of a dairy shed and a wintering barn in the catchment of the Okahu River on Allotment NW76 Blks VII and VIII Tokatoka SD.

Consent No.	Name	Address	Description
20090961901	Brown Bros Marua Ltd	RD 1 Hikurangi	To undertake activities associated with the operation of a dairy shed in the catchment of the Kirikiritoki Stream on Section 31 Blk VIII Opuawhanga SD.
20090951401	B J Paton & B J Musgrave	PO Box 96 Maungaturoto	To undertake activities associated with the operation of a dairy shed and a feed pad in the catchment of the Wairau River on Lot 2 DP 395454 Blk IX Waipu SD.
20090954901	A M Williams	RD 1 Ruawai	To undertake activities associated with the operation of a dairy shed and a feed pad in the catchment of the Kaipara Harbour on Section 3S Whakata Settlement Blk XVI Tokatoka SD.
20090232701	G R & C A Edwards	PO Box 17 Leigh	To undertake activities associated with the operation of a dairy shed and a wintering barn in the catchment of the Opouteke River on Pt Opouteke 2B4 Blk VIII Tutamoe SD.
20091205501	Baker Family Trust	RD 2 Ruawai	To undertake activities associated with the operation of a dairy shed and a feed pad in the catchment of the Naumai Creek on Lot 1 DP 31226 Blks XI and VII Tokatoka SD.
20090927301	DB Douglas Ltd	RD 2 Whangarei	To undertake activities associated with the operation of a stand off pad in the catchment of the Aponga Stream on Lot 1 DP 9680 Blk VIII and XII Mangakahia SD.
20090946301	Radwinter Farms Ltd	RD 2 Maungaturoto	To undertake activities associated with the operation of a dairy shed in the catchment of the Wairau River on Pt Lot 14 DP 3184 Blk IX and XIII Waipu SD.
20090913501	B D & P J Coutts	RD 1 Hikurangi	To undertake activities associated with the operation of a dairy shed in the catchment of the Te Waiongatahuna Stream on Section M1 and 1A Blk XII Hukerenui SD.

Consent No.	Name	Address	Description
20090880901	D A & D E Duffy	RD 9 Whangarei	To undertake activities associated with the operation of a dairy shed and a feed pad in the catchment of the Wheki Creek on Pt Lot 2 DP 9404 and Section 9 Blk XIV Purua SD and Blk II Tangihua SD.
20090912801	Riponui Farms Ltd	RD 1 Kamo	To undertake activities associated with the operation of a dairy shed and a feed pad in the catchment of the Otakairangi Stream on Pt Section E6 and Section 11 Blks XIII and XIV Hukerenui SD.
20090232301	C M McInnes	182 Marsden Pt Rd Ruakaka	To undertake activities associated with the operation of a dairy shed in the catchment of the Manganui River on Lot 1 DP 92254 Blks VII and VIII Matakoho SD.
20090922101	L A & K E Roberts	RD 1 Kamo	To undertake activities associated with the operation of a dairy shed and a feed pad in the catchment of the Otakairangi Stream on Section 36 Blk XIII Hukerenui SD.
20090875601	Riverglen Farms Ltd	RD 1 Tangiteroria	To undertake activities associated with the operation of a dairy shed in the catchment of the Northern Wairoa River on Pt DP 2057 Secs 7, 8 and 19 - 22 Blks VII and XI Maungaru SD.
20091089101	L E Ridgley	Chatsfield Place Whangarei	To undertake activities associated with the operation of a dairy shed in the catchment of the Otakairangi Stream on Section 9 Blk XIII Hukerenui SD.
20090928901	B D Ball & S E New	RD 1 Paparoa	To undertake activities associated with the operation of a dairy shed in the catchment of the Omaru River on Pt Allotment SW142 Blk X and XI Matakoho SD.

Consent No.	Name	Address	Description
20090925901	Loewinger-Hayes Trust	RD 6 Dargaville	To undertake activities associated with the operation of a dairy shed and a calf shed in the catchment of the Waima River on Section 6 and 36 Blk VIII Waipoua SD.
20090885201	J & H Coates Ltd	RD 4 Whangarei	To undertake activities associated with the operation of a dairy shed and a feed pad in the catchment of the Ngaruawahine Stream on Pt Ruapekapeka 1B Blk VI Hukerenui SD.
20091056901	R C & S J Mostert	RD 2 Okaihau	To undertake activities associated with the operation of a dairy shed in the catchment of the Orira River on Pt Lot 33 and 34 DP 541 Blk VII Mangamuka SD.
20090946901	S J Cullen	RD 2 Maungaturoto	To undertake activities associated with the operation of a dairy shed in the catchment of the Pukekaroro Stream on Lot 1 DP 179673 and Lot 2 DP 205612 Blk X and XIV Waipu SD.
20091045901	C R Smyth	RD 2 Kaiwaka	To undertake activities associated with the operation of a dairy shed in the catchment of the Kaiwaka River on Lot 1 DP 133793 Blk XIV Waipu SD.

THE FOLLOWING NON-NOTIFIED DECISIONS ON ON-SITE TREATED DOMESTIC WASTEWATER DISCHARGES WERE ISSUED DURING THIS TIME

Consent No.	Name	Address	Description
20092377701	W M Bennett & W L Riley-Bennett	PO Box 402038 Tutukaka	To discharge secondary treated domestic wastewater to land on Lot 2 DP 194554 Blk IV Whangarei SD.
20080874801	M Ross	PO Box 734 Whangarei	To discharge treated domestic wastewater to land on Lot 1 DP 175578 Blk XVI Whangarei SD.

THE FOLLOWING NON-NOTIFIED DECISIONS ON BORES WERE ISSUED DURING THIS TIME

Consent No.	Name	Address	Description
20092200201	W H Hutchinson	PO Box 766 Whangarei 0140	To install and maintain two bores on All DP 15655 Maruata 1 Blks I V Whangarei SD, Ediinton Road, and Lot 1 DP 60612 Blk V Whangarei SD Maruata Road, to access water for domestic and irrigation requirements on that property.
20092387201	Housing New Zealand Limited	C/O Watson Drilling Limited PO Box 7160 Tikipunga Whangarei 0144	To install and maintain a bore on Lot 5 DP 199212 Blk IX Purua SD, Whatatiri Road, to access water for domestic requirements on that property.
20092395401	Taitokerau Marae	2884 Mangakahia Road RD 2 Whangarei 0172	To drill four exploratory bores and install and maintain one production bore on OUE 2B3C Blk X Mangakahia SD, Mangakahia Road, to access water for Marae water supply requirements on that property.

THE FOLLOWING NON-NOTIFIED DECISIONS ON SWING MOORINGS WERE ISSUED DURING THIS TIME

Mooring No.	Name	Location	Expiry Date
2059	Seafort Holdings Limited	Waikare Inlet Bay of Islands	30.04.2025
2936	Danforth Nominees Limited	Anderson's Cove Bream Bay	31.05.2025
1932	Mason	Mill Bay Totara North	31.03.2027