## Description and geomorphology

Taipa Beach is located at the southern end of Doubtless Bay, approximately 22 km north-east of Kaitaia.

The north east facing shoreline forms a pocket beach embayment which is approximately 1.3 km long. Taipa Beach is a barrier spit which is attached to Otanguru Point at the western end. The Taipa River entrance is situated at the eastern end of the site.

The site has a sandy beach comprising fine to medium sand. The beach has a berm width less than 5 m above the high tide line. A small stream enters the site at the west end of the site, which does not appear to have any effect on the shoreline at this position.

The dune is well vegetated with spinifex and a foredune is developing along the open coast shoreline. The dune heights range from approximately RL 2 to 5 m along the site. The backshore is developed with the most seaward dwelling located 100 m from the dune toe.

The Taipa River mouth is located at the eastern end of the site. Some erosion is evident on the inside of the spit shoreline.

## Local considerations

There are no erosion protection structures along the open coast shoreline. A timber seawall exists along the estuary shoreline.

Dune restoration has been undertaken along the open coast, resulting in a well vegetated foredune.

## Coastal Erosion Hazard Assessment

The site is split into three cells based on differences in dune height and geomorphology. All three cells are characterised as nonconsolidated beach type.

Adopted component values are presented within Table 27-1. Long-term trends are accretion of up to 0.3 m/year along the open beach and erosion of up to -0.1 m/year within the estuary.

Histograms of individual components and resultant CEHZ distances using a Monte Carlo

technique are shown in Figure 27-1 to figure 27-3.



Site Photograph A (west)



Site Photograph B (east)



Site Photograph C (estuary)

Coastal Erosion Hazard Zone widths are presented within Table 27-2 and Figure 27-4. CEHZ1 values range from 15 to 17 m and CEHZ2 values from 55 to 65 m. CEHZ's have been mapped in agreement with the calculated values. Note that cell 27A has experienced accretion since about 1961 along its entire length, with CEHZs offset from the accreted most recent shoreline.

Figure 27-5 shows the available historic shorelines for Taipa Beach.

Site		27. Taipa					
Cell		27A	27B	27C			
Coll contro (NIZTM)	E	1642290	1642868	1642993			
	Ν	6127693	6127644	6127560			
Chainage, m (from N/W)		0-980	980-1200	1200-1320			
Morphology	Dune	Dune	Estuary Bank				
	Min	5	5	2			
Short-term (m)	Mode	10	15	4			
	Max	15	20	6			
Dune/Cliff elevation (m above	Min	2.5	2.3	1.8			
	Mode	4.2	3.2	2.3			
	Max	4.8	3.9	2.5			
	Min	30	30	30			
Stable angle (deg)	Mode	32	32	32			
	Max	34	34	34			
Long-term (m) -ve	Min	0.25	0.3	0			
erosion +ve	Mode	0.1	0.15	-0.05			
accretion	Max	0.05	0.05	-0.1			
	Min	0.06	0.06	0.06			
Closure slope (beaches)	Mode	0.018	0.018	0.018			
	Max	0.011	0.011	0.011			
	Min	0.19	0.19	0.19			
SLR 2065 (m)	Mode	0.29	0.29	0.29			
	Max	0.39	0.39	0.39			
	Min	0.45	0.45	0.45			
SLR 2115 (m)	Mode	0.77	0.77	0.77			
	Max	1.1	1.1	1.1			

Table 27-1 Component values for Erosion Hazard Assessment



Figure 27-1 Histograms of parameter samples and the resultant shoreline distances for 2015, 2065 and 2115 timeframes for cell 27A



Figure 27-2 Histograms of parameter samples and the resultant shoreline distances for 2015, 2065 and 2115 timeframes for cell 27B



Figure 27-3 Histograms of parameter samples and the resultant shoreline distances for 2015, 2065 and 2115 timeframes for cell 27C

213

Site			27. Taipa								
Cell		27A			27B			27C			
Time		2015	2065	2115	2015	2065	2115	2015	2065	2115	
Probability of CEHZ (m) Exceedance	Min	-8	-2	1	-7	0	5	-4	-9	-17	
	99%	-9	-7	-6	-9	-6	-4	-4	-12	-21	
	95%	-10	-9	-12	-10	-9	-10	-4	-13	-25	
	90%	-10	-11	-14	-11	-11	-13	-5	-14	-27	
	80%	-11	-13	-18	-13	-14	-17	-5	-15	-30	
	70%	-12	-14	-21	-14	-15	-21	-5	-16	-32	
	66%	-12	-15	-22	-15	-16	-22	-5	-17	-33	
	60%	-13	-16	-24	-15	-17	-24	-6	-18	-35	
	50%	-13	-17	-27	-16	-18	-27	-6	-19	-38	
	40%	-14	-18	-31	-17	-20	-31	-6	-20	-42	
	33%	-14	-19	-34	-18	-21	-34	-6	-21	-44	
	30%	-14	-20	-35	-18	-22	-35	-6	-22	-46	
	20%	-15	-22	-41	-19	-24	-41	-7	-23	-51	
	10%	-16	-25	-48	-20	-27	-48	-7	-26	-58	
	5%	-17	-27	-55	-21	-29	-55	-7	-29	-64	
	1%	-17	-32	-68	-22	-34	-67	-8	-33	-77	
	Max	-19	-41	-90	-23	-42	-98	-8	-40	-95	
	CEHZ1	-15			-16		-17				
	CEHZ2	-55			-55		-64				

Table 27-2 Coastal Erosion Hazard Zone Widths



