

5 Marsden Cove

Description and geomorphology

Marsden Cove is located at the entrance to Whangarei Harbour, approximately 16 km south of Whangarei.

The north east facing Marsden Cove shoreline is approximately 1 km long and is situated between the eastern extent of the One Tree Point site and Blacksmith Creek.

Marsden Cove consists of a sandy beach shoreline that is split by a marina channel and associated groynes. The sandy beach is approximately 20 m wide and is fronted by an intertidal flat that extends approximately 500 m out to the main harbour channel. Marsden Cove is relatively sheltered from incident wave energy. The predominant sediment transport direction is toward the east with sand building up at this end of the site. A small erosion scarp is evident along the western half of the shoreline.

The natural backshore topography at Marsden Cove is relatively low lying (RL 1.5 - 2 m) and includes existing residential development.

Local considerations

Marsden Cove has been largely modified since the last coastal hazard study. The main modifications to Marsden Bay include:

- NorthPort reclamation at Marsden Point
- training groyne at the entrance to Blacksmith Creek at the eastern end of the site
- creation of a lagoon at the western end of the bay (Marsden Cove) including entrance training groynes
- beach nourishment along the entire Marsden Cove shoreline.

The modifications to Marsden Cove have transformed the shoreline into a typical 'pocket beach' with control structures (i.e. groynes) at either end retaining the beach sand.



Site Photograph A (west)



Site Photograph B (east)



Site Photograph C (Blacksmith Creek)

Coastal Erosion Hazard Assessment

The site is split into four cells based on differences in dune height and geomorphology. All cells are characterised as nonconsolidated beach type.

Adopted component values are presented within Table 5-1. All backshore elevations are low at typically less than 3 m with less than 6 m of shore-term erosion expected. Long-term trends have been assessed excluding recent artificial beach nourishments and are generally erosional.

Histograms of individual components and resultant CEHZ distances using a Monte Carlo technique are shown in Figure 5-1 to Figure 5-3. Coastal Erosion Hazard Zone widths are presented within Table 5-2 and Figure 5-5.

For cell 5D the cliff projection method has been adopted with future shoreline distances shown

in Figure 5-4 and Table 5-2 instead of CEHZ distances.

CEHZ1 values range from 14 to 16 m. CEHZ2 values range from 35 to 38 m. CEHZ's have been mapped in agreement with the calculated values. Note that cell 5C has experienced accretion since about 1985 over approximately 500 m, with CEHZs offset from the accreted most recent shoreline.

Figure 5-6 shows the available historic shorelines for Marsden Cove.

Table 5-1 Component values for Erosion Hazard Assessment

Site		5. Marsden Cove			
Cell		5A	5B	5C	5D ¹
Cell centre (NZTM)	E	1732776	1732896	1733073	1733381
	N	6033603	6033540	6033336	6033183
Chainage, m (from N/W)		0-270	270-320	320-810	810-1170
Morphology		Estuary Bank	Estuary Bank	Estuary Bank	Soft Cliff
Short-term (m)	Min	2	2	2	0
	Mode	4	4	4	0
	Max	6	6	6	0
Dune/Cliff elevation (m above toe or scarp)	Min	1.2	0.4	1.7	1.4
	Mode	2.8	1.2	2.2	1.9
	Max	5.4	2.2	2.4	2.3
Stable angle (deg)	Min	30	30	30	26.6
	Mode	32	32	32	30.2
	Max	34	34	34	33.7
Long-term (m) -ve erosion +ve accretion	Min	-0.05	-0.05	-0.05	-0.02
	Mode	-0.15	-0.15	-0.15	-0.05
	Max	-0.25	-0.25	-0.25	-0.08
Closure slope (beaches)	Min	0.1	0.1	0.1	0.75
	Mode	0.1	0.1	0.071	0.5
	Max	0.1	0.1	0.067	0.25
SLR 2065 (m)	Min	0.19	0.19	0.19	0.19
	Mode	0.29	0.29	0.29	0.29
	Max	0.39	0.39	0.39	0.39
SLR 2115 (m)	Min	0.45	0.45	0.45	0.45
	Mode	0.77	0.77	0.77	0.77

Site		5. Marsden Cove			
Cell		5A	5B	5C	5D ¹
Max		1.1	1.1	1.1	1.1

¹Updated using cliff projection methodology.




Figure 5-1 Histograms of parameter samples and the resultant shoreline distances for 2015, 2065 and 2115 timeframes for cell 5A




Figure 5-2 Histograms of parameter samples and the resultant shoreline distances for 2015, 2065 and 2115 timeframes for cell 5B




Figure 5-3 Histograms of parameter samples and the resultant shoreline distances for 2015, 2065 and 2115 timeframes for cell 5C




Figure 5-4 Histograms of parameter samples and the resultant shoreline distances for 2015, 2065 and 2115 timeframes for cell 5D

Table 5-2 Coastal Erosion Hazard Zone Widths

Site		5. Marsden Cove											
Cell		5A			5B			5C			5D		
Time		2015	2065	2115	2015	2065	2115	2015	2065	2115	2015	2065	2115
Probability of CEHZ (m) Exceedance	Min	-3	-10	-16	-2	-9	-16	-3	-10	-17	0	-2	-3
	99%	-4	-12	-20	-3	-10	-18	-4	-12	-20	0	-2	-5
	95%	-5	-13	-22	-4	-12	-21	-4	-13	-23	0	-3	-6
	90%	-5	-14	-23	-4	-12	-22	-5	-14	-25	0	-3	-7
	80%	-6	-15	-25	-4	-13	-24	-5	-15	-26	0	-3	-8
	70%	-6	-16	-27	-5	-14	-25	-5	-16	-28	0	-4	-9
	66%	-6	-16	-27	-5	-14	-26	-5	-16	-28	0	-4	-9
	60%	-6	-16	-28	-5	-15	-27	-5	-16	-29	0	-4	-10
	50%	-7	-17	-29	-5	-15	-28	-6	-17	-30	0	-5	-10
	40%	-7	-18	-30	-5	-16	-29	-6	-17	-32	0	-5	-11
	33%	-7	-18	-31	-5	-16	-30	-6	-18	-32	0	-5	-12
	30%	-7	-18	-32	-5	-17	-30	-6	-18	-33	0	-5	-12
	20%	-7	-19	-33	-6	-17	-32	-6	-19	-34	0	-6	-13
	10%	-8	-20	-35	-6	-18	-34	-7	-20	-36	0	-6	-15
	5%	-8	-21	-37	-6	-19	-35	-7	-21	-38	0	-7	-17
	1%	-9	-22	-39	-7	-20	-37	-7	-22	-41	0	-8	-20
	Max	-10	-24	-43	-8	-22	-40	-8	-24	-44	0	-10	-27
	CEHZ1	-16			-14			-16			-4*		
	CEHZ2	-37			-35			-38			-17*		

*Updated using cliff projection methodology, so distance to future cliff toe position has been tabulated. Actual CEHZ width will be greater depending on cliff height and stable slope angle.

Path: \\itgroup.local\files\AKLP\Projects\1001049\Working\Material\GIS\FINAL\1001049-000-CEHZ001.mxd Date: 11/10/2017 Time: 11:56:02 AM




LEGEND

- 2013 - 2014 shoreline
- Erosion Protection Structures
- ↔ Cell Extent

Coastal Erosion Hazard Zone

- CEHZ0 (protected by structure)
- CEHZ1 (2065 CEHZ)
- CEHZ2 (2115 CEHZ)

Notes: Dashed CEHZ indicates greater uncertainty around stream mouths and backshore topography. Northland 0.1m Rural Aerial Photos (2014-2015).



Tonkin+Taylor
 105 Carlton Gore Rd, Newmarket, Auckland
 www.tonkintaylor.co.nz

DRAWN	PPK	Dec.17
CHECKED	TDS	Dec.17
APPROVED	RRH	Dec.17
ARCFILE 1001049-000-CEHZ001.mxd		
SCALE (AT A4 SIZE) 1:5,000		
PROJECT No. 1001049		

NORTHLAND REGIONAL COUNCIL
 Coastal Erosion Hazard Assessment
 Marsden Cove
 Site: 5

FIGURE No. **Figure 5-5**

Rev.	2
------	---

Path: P:\1001049\WorkingMaterial\GIS\FINAL\HistoricShorelines.mxd Date: 4/10/2017 Time: 3:07:02 PM



Legend

←→ Cell Extent

Shorelines

- 2014 baseline
- 14/01/2014
- 13/12/1985
- 02/05/1966
- 28/05/1942

Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, IGN, and the GIS User Community

Notes: Dashed CEHZ indicates greater uncertainty around stream mouths and backshore topography. Northland 0.1m Rural Aerial Photos (2014-2015).

A4 SCALE 1:5,000

0 0.1 0.2 (km)

Tonkin+Taylor

www.tonkintaylor.co.nz

DRAWN	PPK	Dec.17
CHECKED	TDS	Dec.17
APPROVED	RRH	Dec.17
ARCFIELD HistoricShorelines.mxd		
SCALE (AT A4 SIZE) 1:5,000		
PROJECT No. 1001049		

NORTHLAND REGIONAL COUNCIL

Historic shorelines
Marsden Cove
Site: 5

FIGURE No. **Figure 5-6**

Rev. **2**