

Irrigation Water Take Consent

Resource Consent Application & Assessment of Environmental Effects

SHANE AND LISA BLUCHER

WWA0080| Rev. 1

14 December 2018



Irrigation Water Take Application

Project no:	WWA0080
Document title:	Shane and Lisa Blucher Avocado Irrigation
Revision:	1
Date:	14 December 2018
Client name:	Shane and Lisa Blucher
Project manager:	Jon Williamson
Author(s):	Jon Williamson, Jacob Scherberg and Josie Cairns
File name:	G:\Team Drives\Projects\Blucher (Shane & Lisa)\WWA0080_Water Take Resource Consent\Deliverables\Blucher AEE.docx

Williamson Water Advisory

PO Box 314, Kumeu 0841, Auckland T +64 21 654422

Document history and status

Rev	Date	Description	Ву	Review	Approved
1	14 December 2018	Draft for Client Review	Jake Scherberg		Jon Williamson

Distribution of copies

Rev	Date issued	Issued to	Comments



Contents

1.	Introduction	. 3
1.1	Report Structure	3
2.	Description of Proposed Activity	. 4
2.1	Location	4
2.1	Description of Proposed Activity	4
2.1.1	Consent Duration, Lapse and Review	5
2.2	Proposed Consent Conditions	5
3.	Background Information	. 8
3.1	Site Conditions	8
3.1.1	Soils	8
3.1.2	Geology	8
3.1.3	Hydrogeological Interpretation	8
3.1.4	Irrigation Requirements	8
3.2	Neighbouring Bore Information	12
3.3	Relevant Statutory Documents	13
3.3.1	Section 104(1)(b) of the RMA	13
3.3.2	Activity Status	16
3.3.3	Allocation Zones	17
4.	Assessment of Environmental Effects	18
4.1	Surface Water Effects	19
4.2	Pumping Interference Effects	20
4.3	Saline Intrusion	24
4.4	Ground Settlement	24
4.5	Water Quality	25
4.6	Consideration of Alternatives	25
5.	Assessment of Cultural Effects	26
6.	Assessment Of Statutory Considerations	27
7.	Notification	32
8.	Consultation	
9.	Summary and Conclusions	34
10.	References	35
Appe	ndix A. Form A - Application for Resource Consent	36
Appe	ndix B. Impact on Neighbouring bores	37



1. Introduction

This document and attachments comprise a Resource Consent Application and an Assessment of Environmental Effects associated with a water take permit for irrigation of a 28.8 hectares Total Orchard Area at 4217A Far North Road, Pukenui.

The background details of this application using Northland Regional Council's (NRC) "Application for Resource Consent" form is provided in **Appendix A**. Further details of various items where marked on the form are provided in the **Section 2**.

1.1 Report Structure

The report comprises:

- Section 2 a description of the proposed activity and suggested consent conditions;
- Section 3 background details of the application;
- Section 4 an assessment of environmental effects;
- Section 5 an assessment of cultural effects;
- Section 6 an assessment of statutory considerations;
- Section 7 a discussion of the notification process;
- Section 8 a discussion on consideration of consultation; and
- Section 9 summary and conclusions.



2. Description of Proposed Activity

2.1 Location

Figure 1 provides a map of the project area. The property is located at 4217A Far North Road, Pukenui.




Figure 1. Project location map.

2.1 Description of Proposed Activity

The resource consent application for Shane and Lisa Blucher is to take and use groundwater for a new 28.8 ha orchard development, requiring the construction of a new bore.

The groundwater take will be exercised from October to April, in accordance with the following volumes:

- Maximum daily volume of 720 m³/day; and
- Maximum annual volume of 96,000 m³/yr.

The maximum daily volume has been calculated at 25 m³/ha/day over the Total Orchard Area, in accordance with the decision made in the Motutangi-Waiharara Water User Group (MWWUG) decision¹.

¹ The maximum daily volume can also be calculated on the basis of 41.6 m³/day per canopy hectare (4.16 mm irrigation system capacity) on the basis of a peak daily soil requirement of 3.74 mm/day per canopy hectare and allowing for 10% system losses in delivery and application.



The maximum annual volume has been calculated from the canopy area, which for this orchard (given the topographic and existing building constraints) is 83% of the Total Orchard Area or 24 ha². The maximum annual volume has been calculated on the basis of 400 mm/annum, which is consistent with the Council Officers' recommendation in the MWWUG Hearing. This irrigation requirement is adequate to meet up to a 1 in 10 years drought requirement (**3.1.4**).

2.1.1 Consent Duration, Lapse and Review

A consent duration of 30 years is sought subject to a lapse period of 5 years from commencement of consent, and review conditions have been proposed for the purposes laid out in **Section 2.2**.

2.2 Proposed Consent Conditions

This section contains the proposed conditions for the water permit sought by the Applicant.

Water Extraction Volumes

- 1. The rate of take shall not exceed the limits set out as follows:
 - (a) Maximum daily volume of 720 m³/day (being any 24 consecutive hours); and
 - (b) Maximum annual volume of 96,000 m³/annum (being 1 July to 30 June).

Notification of Irrigation

2. The Consent Holder shall advise the Council's assigned Monitoring Officer in writing when irrigation is to commence for the first time each season, at least five days beforehand.

Metering and Abstraction Reporting

- 3. The Consent Holder shall install a meter to measure the volume of water taken, in cubic metres, from each production bore. Each meter shall:
 - (a) Be able to provide data in a form suitable for electronic storage;
 - (b) Be sealed and as tamper-proof as practicable;
 - (c) Be installed at the location from which the water is taken; and
 - (d) Have an accuracy of +/-5%.

The Consent Holder shall, at all times, provide safe and easy access to each meter installed for the purposes of undertaking visual inspections and water take measurements.

- 4. The Consent Holder shall verify that the meter required by Condition 3 is accurate. This verification shall be undertaken prior to 30 June:
 - (a) Following the first taking of water from each production bore; and
 - (b) At least once in every five years thereafter.

Each verification shall be undertaken by a person, who in the opinion of the Council's Compliance Manager, is suitably qualified. Written verification of the accuracy shall be provided to the Council's assigned Monitoring Officer by 31 July following the date of each verification.

² The maximum annual volume can also be calculated on the basis of approximately 96 days at full daily volume, which is equivalent to approximately 400 mm/year. In practice the maximum daily rate will only be required on consecutive days during the peak of summer and when this coincides with drought.



- 5. The Consent Holder shall, using the meter required by Condition 3, keep a record of the daily volume of water taken from each production bore in cubic metres, including all nil abstractions.
- 6. If the instantaneous rate of taking is equal to or greater than 10 litres per second, then the water meter required by Condition 3 shall have an electronic datalogger for automatic logging of meter data. A copy of the electronic data records shall be forwarded to Council's assigned Monitoring Officer by the 7th of the following month, and immediately on written request from the assigned monitoring officer.
- 7. The Consent Holder shall measure, and keep a record of, the static water level in each production bore at least once each month. This measurement shall be taken at least eight hours after cessation of pumping. The Consent Holder shall also monitor electrical conductivity at least once a month during any irrigation season when the bore is in use.
- 8. A copy of the records required to be kept by Conditions 5, 6 and 7 for the period 1 July to 30 June (inclusive) shall be forwarded each year to the Council's assigned Monitoring Officer by the following 31 July. In addition, a copy of these records shall be forwarded immediately to the Council's Compliance Manager on written request. The records shall be in an electronic format that has been agreed to by the Council.

Advice Note: If no water is taken during the period 1 July to 30 June (inclusive) then the Consent Holder is still required to notify the Council's Monitoring Manager in writing of the nil abstraction. Water use record sheets in an electronic format are available from the Council's website at www.nrc.govt.nz/wur.

9. Easy access for a water level probe shall be provided and maintained at the production bore wellhead to enable the measurement of static water levels in the bore.

Water Use Efficiency

- 10. The Consent Holder shall prepare an Irrigation Scheduling Plan (ISP) that outlines how irrigation decisions will be made. The ISP shall be prepared by a suitably qualified and experienced person and submitted to the Council's Compliance Manager for written approval. The ISP shall, as a minimum, address:
 - Water balance and crop water requirements;
 - Subsurface drainage; and
 - Overall irrigation strategy.

For each irrigation area, the ISP should include:

- (a) A description of how water requirement for each irrigation cycle is calculated;
- (b) Method(s) for assessing current soil moisture levels;
- (c) Method(s) for assessing potential evapotranspiration (PET) and rainfall to date;
- (d) Assessment of other inputs such as effluent irrigation and effect on irrigation requirement;
- (e) Soil moisture target to be maintained in each zone by irrigation;
- (f) How measured data will be used to assess irrigation requirements over the next irrigation cycle; and
- (g) A description of proposed method(s) for remaining within consent limits at each borehole or group of boreholes.

Advice Note: The ISP seeks to ensure that an irrigation efficiency of a minimum 80% is achieved.

- 11. The Consent Holder shall not exercise this consent until the ISP required by Condition 10 has been certified by the Council's Compliance Manager.
- 12. The ISP certified in accordance with Condition 11 shall be implemented prior to the first irrigation season, unless a later date has been approved in writing by the Council's Compliance Manager.
- 13. The Consent Holder shall, within six months of the first exercise of this consent, undertake an audit of the irrigation system and the ISP described in Condition 10 using a suitably qualified and experienced person. The irrigation system audit shall be prepared in accordance with Irrigation New Zealand's "Irrigation



Evaluation Code of Practice" (dated 12 April 2010), including recommendations on any improvements that should be made to the system to increase water efficiencies. The results of the audit and its recommendations shall be submitted in writing to the Council's assigned Monitoring Officer within one month of the audit being undertaken. A follow-up audit shall occur at five yearly intervals throughout the term of this consent, with a focus on the efficiency of water use.

- 14. The Consent Holder shall, within three months of notification in writing by the Council's Compliance Manager, implement any recommendations of the audit referred to in Condition 13.
- 15. The reticulation system and components shall be maintained in good working order to minimise leakage and wastage of water.
- 16. here shall be no significant ponding of irrigated water within any irrigated area, or significant runoff from either surface or subsurface drainage to a water body, as a result of the exercise of this consent.

Review Condition

- 17. The Council may, in accordance with Section 128 of the Resource Management Act 1991, serve notice on the Consent Holder of its intention to review the conditions annually during the month of June for any one or more of the following purposes:
 - (a) To deal with any adverse effects on the environment that may arise from the exercise of the consent and which it is appropriate to deal with at a later stage; or
 - (b) To review the allocation of the resource.

The Consent Holder shall meet all reasonable costs of any such review.

Lapsing Condition

18. This consent shall lapse on the 30 June 2023, unless before this date the consent has been given effect to.

Advice Note: An application can be made to the Council in accordance with Section 125 of the Act to extend the date after which the consent lapses. Such an application must be made before the consent lapses.

EXPIRY DATE: 30 June 2048



3. Background Information

3.1 Site Conditions

3.1.1 Soils

There is no Landcare Research S-map soil data available for this site, however there is Fundamental Soil Layer information, pre-dating S-Map, which describes the soil around the property as having typic sandy brown soils³, which occur in areas where summer drought and winter waterlogging do not generally occur. These soils display the following properties:

- *Physical properties* Brown soils are relatively stable topsoils with a well-developed structure, with sandy brown soils dominated by coastal and loamy sand.
- Chemical properties Brown soils have low to moderate base saturation.
- Biological properties Brown soils are associated with high biological activity (earthworms are prominent).

3.1.2 Geology

The property is underlain by the Aupouri Aquifer – an extensive sequence of sand, peat and shellbed that covers an area of approximately 79,000 ha extending from Ahipara in the south to Ngataki in the north. The aquifer is underlain by older low permeability Cenozoic and Mesozoic age basement rocks.

Fine sand is the dominant sediment within the Aupouri Aquifer, which vary in thickness from a few meters near the hard rock boundaries to over 100 m in some places. The sand sequence is interspersed with multiple discontinuous layers of alternating iron pan (sand stone), clay and peat, which reside across the entire peninsula typically in the upper portion of the aquifer. These deposits are associated with ancient wetlands.

The aquifer is underlain to the east by volcanic basement rocks that outcrop forming Mount Camel. These rocks most likely extend at some depth across the subsurface of the Aupouri Peninsula together with greywacke, argillite and indurated conglomerate deposits of the same age.

3.1.3 Hydrogeological Interpretation

The surficial sand deposits generally become progressively younger, unconsolidated and mobile towards the west. These younger sands have higher permeability than the sands in the east, which tend to be more weathered and contain cemented iron pans close to the surface.

With increasing depth, the presence of shell-rich sands increases, which is important from a water yield perspective as the shellbeds typically have significantly higher hydraulic conductivity (ability to transmit water) than the finer sands. The shellbed is the target aquifer for orchard irrigation water and typically resides at depths from 70 - 140 m below ground level.

All the basement rocks in the area are known to be low permeability.

3.1.4 Irrigation Requirements

The peak water requirement is 25 m³/day per canopy hectare, which is equivalent to 2.5 mm per day. The irrigation requirement was simulated on a daily basis with the Soil Moisture Water Balance Model (SMWBM) using historical rainfall and evaporation data from 1957 to 2016. The simulation results are portrayed statistically on a monthly basis in **Figure 2**, which is a box and whisker plot showing the monthly median, lower quartile (25th percentile), upper quartile (75th percentile) and minimum and maximum recorded monthly values. The graph shows the seasonal irrigation profile and likelihood of water requirements each month.

³ https://soils.landcareresearch.co.nz/describing-soils/nzsc/soil-order/brown-soils/






Figure 2. Simulated monthly statistical irrigation profile.

During the irrigation season, the rate of application will remain the same, but the number of days between irrigation events will increase during the shoulders of the season (i.e. typically in spring and autumn), which is exemplified in the monthly statistics shown in **Figure 2**.

Table 2 provides information on the frequency of monthly irrigation requirements and the number of days irrigation is likely required. The 1-year recurrence interval represents the typical monthly requirements and indicates that on average irrigation will not be required in October and April, and between November and March will vary from 18 mm to 47 mm per month.

In a 10-year drought year, the irrigation requirement for the season is likely to be approximately 400 mm, with peak monthly totals up to approximately 120 mm, hence the amount of water being applied for is adequate to fully meet the requirements up to the 10-year drought.

Average Recurrence Interval	Oct	Νον	Dec	Jan	Feb	Mar	Apr	Annual
1 yr	0 [0]	23 [6]	31 [7]	47 [11]	40 [10]	18 [4]	0 [0]	250 [60]
2 yr	0 [0]	44 [11]	58 [14]	69 [17]	62 [15]	36 [9]	16 [4]	307 [74]
4 yr	18 [4]	58 [14]	76 [18]	107 [26]	98 [24]	74 [18]	31 [7]	369 [89]
5 yr	18 [4]	62 [15]	76 [18]	107 [26]	98 [24]	80 [19]	40 [10]	382 [92]
10 yr	31 [7]	76 [18]	104 [25]	117 [28]	116 [28]	84 [20]	50 [12]	401 [96]
100 yr	53 [13]	102 [25]	124 [30]	129 [31]	124 [30]	100 [24]	64 [15]	545 [131]

Table 1. Frequency of monthly and annual irrigation requirements (mm) and days of irrigation [days].

Table 2 provides the orchard water balance under dryland and irrigated conditions and **Figure 3** shows the mean monthly seasonal breakdown of this data. The data represents the mean annual water balance



components from the 59-year simulation. It is evident that under the irrigated orchard profile, soil moisture content typically resides at a higher status (which is the intention) during summer, and surface runoff, sub-soil drainage, soil evaporation and canopy interception all increase.

However, avoidable losses due to surface runoff have not change appreciably, and the additional runoff that has occurred is due to rainfall excess rather than too much irrigation, demonstrating that the irrigation applications of 3 mm/day are efficient.

Table 2. Summary of average annual water balance components under irrigated and unirrigated profiles (mm/yr unless specified otherwise).

Annual Average	Dryland	Irrigated
Average Soil Moisture Content (mm)	92	104
Sub-Soil Drainage	452	522
Surface Runoff	93	105
Soil ET	467	547
Canopy Interception	179	284
TOTAL	1,191	1,458






Figure 3. Comparison of water balance components.



3.2 Neighbouring Bore Information

There are 61 bores registered within the NRC database within a 2 km radius of the Shane and Lisa Blucher site (**Figure 4**). Statistics on the 61 bores are as follows:

- 54 are active, one is inactive, three are pending, and three are unspecified;
- Bore depth is provided for 47 bores and ranges from 6 m to 116 m with an average of 64 m.
- 43 bores have information attached in terms of the purpose of the bores; among these bores:
- Thirty are for domestic;
- Three are for stock;
- Two are for domestic and stock use;
- One is for domestic use and irrigation;
- Two are for irrigation;
- Four are listed as private water supply.

There are nine proposed bores within the pending Te Raite Station consent (OPUS, 2018) six of which are within the Houhora allocation zone. There are several other pending consents for groundwater takes within the Houhora Allocation zone; these include applications for Jeremy Evans, Diane Wedding, Anton Matthews, and Mervyn Evans. These pending consent applications have been included in the allocation assessment in **Section 3.3.3**.



Figure 4. Neighbouring bores within 2 km radius.



3.3 Relevant Statutory Documents

3.3.1 Section 104(1)(b) of the RMA

Schedule 4 of the RMA requires that when applying for a resource consent for any activity an assessment of activities against the matters in any relevant provisions of a statutory document referred to in s104(1)(b) of the RMA must be provided. These matters are described below and **Section 6** provides an assessment against the relevant documents.

The documents referred to in Section 104(1)(b) of the RMA are:

- a national environmental standard;
- other regulations;
- a national policy statement;
- a New Zealand coastal policy statement;
- a regional policy statement or proposed regional policy statement;
- a plan or proposed plan;

The following section provides details of the relevant Regional Planning provisions, while assessment of which documents listed is above are relevant is provided in **Table 3**.

Statute	Relevance	Requirement of Statue
National Environmental Standards	There are no national environmental standards that are applicable to the proposed activity.	None
Resource Management (Measurement and Reporting of Water Takes) Regulations 2010	This regulation applies to a water permit that allows fresh water to be taken at a rate of 5 litres/second or more and is consumptive. Therefore, this regulation is relevant for this water take consent.	In summary, the regulations require permit holders to keep records that provide continuous measurement of the water taken under a water permit, including water taken in excess of what the permit allows. These records are to comprise measurements of the volume of water taken each day (in cubic metres) or each week (if approved by the Regional Council), and must be in an appropriate format for auditing, and in a form suitable for electronic storage. The regulations also specify the required accuracy of any metering device (to within ±5% of the actual volume taken if from a full pipe (e.g. bore)).
National Policy Statement for Freshwater Management 2014	 The following objectives and policies of the NPS are relevant to this proposal: <i>Water Quality</i> Objectives A1, A2, andA4. Policies A2, A3, and A7. <i>Water Quantity</i> Objective B2, B3 and B5. Policies B2 to B6. <i>Integrated Management</i> Objective C1. Policies C1 and C2. 	 Water Quality Objective A1 seeks to safeguard the life-supporting capacity, ecosystem processes and indigenous species including their associated ecosystems of fresh water, in sustainably managing the use and development of land, and of discharges of contaminants. Objective A2 required that the overall quality of fresh water within a region is maintained or improved while improving the quality of fresh water in water bodies that have been degraded by

Table 3. Summary of relevance of Section 104 statutes.



Statute	Relevance	Requirement of Statue
Statute		 Requirement of statue human activities to the point of being overallocated. Objective A4 seeks to enable communities to provide for their economic well-being, including productive economic opportunities. Policies A2, A3, and A7 are considered relevant to this application and give effect to Objectives A1, A2, A4. Water Quantity Objective B2 seeks to avoid any further overallocation of fresh water and phase out existing over-allocation. Objective B3 seeks to improve and maximise the efficient allocation and efficient use of water. Objective B5 seeks to provide for communities' economic wellbeing within freshwater quantity limits. Policies B2 to B6 are considered relevant to this proposal. Integrated Management Objective C1 seeks to improve integrated management of fresh water and the use and development of land in whole catchments, including the interactions between fresh water, land, associated ecosystems and the coastal environment. Policies C1 and C2 are relevant to this application and give effect to Objective C1.
Regional Policy Statement for Northland	 The Regional Policy Statement (RPS) was made operative on 9 May 2016. The RPS provides a broad direction and framework for managing Northland's natural and physical resources. These include land, water, air, soil, minerals, plants, animals and all built structures. The following Objectives are considered relevant to this proposal: Objective 3.2, 3.3, 3.5, and 3.10. The following Policies give effect to the above Objectives, and therefore are considered relevant to this application: Policy 4.3.2, 4.3.3. 	 Objective 3.2 seeks to maintain and improve water quality for human use and ecological health. Objective 3.3 seeks to safeguard the flows and flow variability required to maintain water's life-supporting capacity, for ecological processes, and to support indigenous species. Objective 3.5 requires that the region's resources are sustainable managed in a way that is attractive for business and investment that will improve the economic wellbeing of the region and its communities. Objective 3.10 requires efficient use and allocation of common natural resources with a particular focus on maximising the security and reliability of supple for users. Policy 4.3.2 requires regulatory methods to avoid over-allocation of region-wide ecological flows and water levels. Policy 4.3.3 requires the allocation and use of water efficiently within allocation limits.
Regional Plans	The Proposed Regional Plan for Northland (pRPN) sets out policies and rules for how Northland's water, soil, air and coast are used and was publicly notified on 6 September 2017 and closed for submissions on 26	 From the pRPN: Objective F.0.1 seeks to manage the use, development, and protection of Northland's natural and physical resources which enables people and

Shane and Lisa Blucher Irrigation Water Take Application



Statute	Relevance	Requirement of Statue
Statute	RelevanceMarch 2018. The pRPN will replace the Regional Water and Soil Plan for Northland (RWSPN), which has been operative since 28 August 2004.At present, the rules in both these plans have legal effect, with weight given to whichever plan has the more restrictive rule for the same activity if there is a conflict between the two plans, or the later plan if no submissions were received on certain aspects.Both plans address groundwater abstractions that have the potential to adversely affect the environment. However, there are no specific aquifer allocation limits set in the RWSP.The following objectives and policies of the pRPN are considered relevant to this proposal:• Objective F.0.1. • Policy D.2.5.	Requirement of Statue communities to provide for their social, economic and cultural well-being while 1. sustaining the natural resources to meet the reasonable foreseeable needs of future generations, 2. safeguarding life-supporting capacities of water, and 3. avoiding, remedying, or mitigating adverse effects on the environment. • Policy D.2.2 requires that regard is had to the social, cultural, and economic benefits of the proposed activity when considering resource consents. • Policy D.2.5 requires an authority to have regard to community and tangata whenua values • Policy D.4.5 seeks to maintain overall water quality. • Policy D.4.13 seeks to achieving freshwater
	 Policy D.2.5. Policy D.4.5. Policy D.4.13. Policy D.4.17. Policy D.4.18. Policy D.4.20. Policy D.4.23. The following objectives and policies of the RWSPN are considered relevant to this proposal: Objective 7.4. Objective 10.4.1. Policy 10.5.1. Policy 10.5.2. Policy 10.5.4. Policy 10.5.7. 	 Policy D.4.13 seeks to achieving treshwater quantity related outcomes and inn particular manage the taking, use, damming, and diversion of fresh water so that (with relevance to this application) saline intrusion in, and land subsidence above, aquifers is avoided (amongst other things). Policy D.4.17 considers allocation limits for aquifers and requires rules and applications to meet allocation limits Policy D.4.18 concerns conjunctive surface water and groundwater management. Policy D.4.20 requires the reasonable and efficient use of water for irrigation and sets requirements for a resource consent application to take water for irrigation purposes. Policy D.4.23
	• Policy 10.5.9	 From the RWSPN: Objective 7.4 requires the maintenance or enhancement of water quality of natural water bodies. Objective 10.4.1 maintains the sustainable use and development of the region's groundwater resources while avoiding, remedying, or mitigating actual and potential adverse effects on groundwater quantity and quality. Policy 10.5.1 seeks to ensure the sustainable use of resources by avoiding takes that exceed recharge. Saltwater intrusion, reduced groundwater quality, significant drawdown, and adverse effects on surface water resources can arise where takes exceed recharge. Policy 10.5.2 recognises that aquifers are at risk in certain circumstances and that adverse effects on water quality should be avoided.



Statute	Relevance	Requirement of Statue
		 Policy 10.5.4 seeks that groundwater allocations take into account reduction in recharge that may occur in time. Policy 10.5.7 requires the Northland Regional Council to consider effects of a groundwater take and use on surface water bodies. Policy 10.5.9 seeks to avoid, remedy or mitigate any ground subsidence as a result of groundwater takes, use or diversion, where this is likely to cause adverse flooding, drainage problems, or building damage.

3.3.2 Activity Status

The activity status of the proposed activity under both the RWSPN and pRPN is considered a discretionary activity – details of this conclusion are summarised in **Table 4**.

Table 4. Summary of activity status against Regional Plan Provisions.

Plan	Relevant Rules	Comment
RWSPN	Rule 25.03.01 of the plan states that "The taking, use or diversion of groundwater from an aquifer, and any associated discharge of groundwater onto or into land or into water, which does not meet the requirements of the permitted, controlled or non-complying activity rules is a discretionary activity. In essence, the discretionary activity rule is for takes that are not for domestic or stock watering purposes (Rule 25(A)) and exceed the permitted activity thresholds (Rule 25.01.01) of a daily volume of 10 m3/d and instantaneous rate of 5 L/s per bore.	
pRPN	 Rule C.5.1.10 states that the taking and use of fresh water is a discretionary activity unless it is one of the following: a permitted activity under C.5.1.1 'Minor takes – permitted activity', 	The proposed groundwater take does not conform to any of the activities in listed in 1) to 10) above, and as indicated in the following
	 or 2) a permitted activity under C.5.1.2 'Temporary take for road construction or maintenance – permitted activity', or 	Section 3.3.3 does not exceed an allocation limit, therefore the proposed activity constitutes a Discretionary Activity under the pRPN.
	 a permitted activity under C.5.1.3 'Water take from an off-stream dam – permitted activity', or 	
	 a permitted activity under C.5.1.4 'Water take from an artificial watercourse – permitted activity', or 	
	 a permitted activity underC.5.1.5 Water take associated with bore development, bore testing or dewatering – permitted activity', or 	
	 a controlled activity under C.5.1.6 'Replacement water permits for registered drinking water supplies - controlled activity', or 	
	 a controlled activity under C.5.1.7 'Takes existing at the notification date of the plan - controlled activity', or 	
	 a restricted discretionary activity under C.5.1.8 'Supplementary allocation – restricted discretionary activity', or 	
	 a discretionary activity under C.5.1.9 'Takes existing at the notification date of this plan – discretionary activity', or 	



10)	a non-complying activity under C.5.1.11 'Water take below a minimum flow or water level-non-complying activity', or
11)	a non-complying activity under C.5.1.12 'Water take that will exceed an allocation limit - non-complying activity', or
12)	a prohibited activity under C.5.1.13 'Water takes that will exceed an allocation limit - prohibited activity'.
	11)

3.3.3 Allocation Zones

The Aupouri Peninsula Aquifer is divided into different allocation zones for management purposes. The Blucher property sits within the Aupouri-Houhora allocation zone. The allocation limit, current level of allocation and the level of allocation should this consent (along with other pending consents) be granted, are shown in **Table 5**.

The allocation limit is calculated as 15% of mean annual recharge, as recommended by the Northland Regional Council in paragraphs 111 to 118 of the Section 42 Hearing Report (Tait, 2018).

Table 5 shows that the Aupouri-Houhora zone is currently 46% allocated and granting the proposed Blucher groundwater take (96,000 m³/yr) will account for an additional 3% of the allocation limit. If the other current proposals are granted (Te Raite Station, J Evans, D. Wedding & Doody, A. Matthews, M. Evans) the total allocation status for the Aupouri-Waihopo zone will increase to 94%.

Table 5. Aupouri Aquifer Limits⁴ and Allocation Status.

Sub-aquifer	Allocation Limit ^{A.}		Allocation Status (Current) ^{B.}		Allocation Status Including Proposed Groundwater Takes: S. & L. Blucher (96,000), Te Raite Station (875,000), J. Evans (160,000), D. Wedding & Doody (304,000), A. Matthews (12,000), M. Evans (36,400)	
	m³/year	% mean annual recharge	m³/year	%	m³/year	%
Aupouri - Houhora	2,999,201	15	1,374,864	46%	2,821,864	94%

Notes:

A. Recalculated from Lincoln AgriTech (2015).

B. Current allocation includes the recently granted (June 2018) MWWUG consents, which equated to 329,370 m³/year in the Motutangi zone.

⁴ According to NRC's allocation maps at http://gis.nrc.govt.nz/LocalMaps-Viewer/?map=895e0785f7054d47b10a72edc38022dc



4. Assessment of Environmental Effects

The 96,000 m³/year groundwater take for the Blucher property was evaluated using the Aupouri Aquifer Groundwater Model, which is a numerical model covering the Aupouri shellbed aquifer from Ahipara to Ngataki. The model applied the MODFLOW Unstructured Grid (MODFLOW-USG) developed by the United States Geological Survey (USGS) applied within the GMS10.3 modelling platform to simulate regional groundwater flow. The development and calibration of the Aupouri Aquifer Model is detailed in WWA (2017; 2018) and will also be detailed in a standalone model development report currently being prepared.

The Motutangi-Waiharara Groundwater Model (MWGWM), detailed in WWA (2017) is a previous numerical model that includes the area occupied by the proposed groundwater take.

Five ongoing applications including Mervyn Evans (36,400 m³/year), Anton Mathews (12,000 m³/year), Diane Wedding and Doody take (304,000 m³/year), Yelavich take (52,000 m³/year) and Robert Campbell Family trust (360,000 m³/year) are located in the MWGWM domain. The latter two of these applications are in the Aupouri-Waiharara allocation zone and are therefore not included in the total allocation for the Aupouri-Houhora allocation zone provided in **Table 5**. An additional two pending applications including NE Evans Trust (160,000 m³/year) and Te Raite Station (1,170,000 m³/year) are located within the Aupouri-Aquifer Groundwater Model domain (WWA, 2018).

The Base Case Scenario (Scenario 1) for evaluating the proposed groundwater take at the Blucher bore applied the Aupouri Aquifer Model with all currently consented groundwater takes and pending applications included. The Proposed Extraction Scenario (Scenario 2) was then developed by adding the proposed Blucher groundwater take to the Base Case Scenario. The results of the two scenarios were compared to assess cumulative effect of the proposed groundwater take with regard to the AEE criteria.

This assessment also included a sensitivity analysis (Scenario 3) using the methods described in WWA (2018). In the sensitivity analysis connectivity between the surface conditions and the deep aquifer was significantly reduced while boundary and source/sink conditions remained the same as in the baseline model. The model was not calibrated to the conditions applied in Scenarios 3, therefore Scenario 3 results are only referenced to illustrate relative (rather than absolute) changes in simulated groundwater levels.

The sensitivity analysis was undertaken because the calibrated groundwater model errs on the side of over simulation of vertical leakage. This was deliberately built into the model in the absence of a single well-defined low permeability horizon in the field, but rather a series of multi-layered and discontinuous iron pans and other low permeability horizons within the sedimentary sequence that in combination act as a flow barrier between the deeper groundwater system and the surface drains and wetlands. As a result, the model exaggerates the effects of the proposed abstraction on the groundwater levels in the shallow aquifer and at the surface. Conversely, the model under-predicts the local-scale drawdown in the deeper aquifer.

The numerical simulation was run for a 58-year time period using historic climate records and groundwater pumping data. In effect, the climatic conditions of the last 58-years have been utilised to simulate conditions that may occur in the next 58-years.

The three predictive model scenarios can be summarised as follows:

- **Scenario 1: Base Case** the calibration model which includes all currently consented groundwater takes at a total peak annual abstraction rate of 11,673,451 m³/year.
- Scenario 2: Proposed Extraction includes current and proposed groundwater extraction totalling a combined peak annual rate of 11,769,451 m³/year.
- Scenario 3: Low Permeability-Proposed Extraction Groundwater extraction is the same as in Scenario 2 with horizontal hydraulic conductivity of Layer 2 was decreased to 1x10⁻⁷ m/s in both the coastal sands and weathered sand regions to simulate a hard pan extending over the model area.

From an assessment of effects perspective, it is important to focus on annual volumes. However, simulated pumping in the model is premised on peak daily rates (consented or proposed) pumped until the annual volume



is reached (cap). However, due to variable stress period length ranging from a minimum of 13 days to a maximum of 185 days, the average pumping rate reported from the model is always less than the peak rate due to days within the stress period where pumping was not required. Historical dates where the maximum annual volume (consented or proposed) was simulated included 1974, 1991, and 2010.

4.1 Surface Water Effects

An analysis of the impact on flows including discharge to both farm drains and wetlands was undertaken for low-flow situations. Scenario 2 was selected for this assessment because it represents a greater potential impact on surface drains compared to Scenario 3. The annual minima in daily flow was determined from the global flow budget for all combined drain cells within the potential area of impact. Annual minima flows were used to calculate annual recurrence intervals for each scenario, and the resulting data is presented in **Table 6** and **Figure 5**.

A comparison of the proposed groundwater extraction (Scenario 2) against the Base Case scenario indicates that the reduction in mean annual (1-year) low flow as a result of the combined groundwater extraction at the Blucher bore is likely to be negligible (approximately 0.3%). However, as stated in WWA (2018) the model errs on the side of exaggerating groundwater level reduction in the shallow aquifer and at the surface because of the lack of hard pans in the model. In this regard, this can be considered a conservative estimate.

Results also indicate that the variation in annual minimum discharge from groundwater to surface water over a range of drought severities (i.e. annual to 100-year recurrence interval) is likely to be, at most, a 0.6% reduction with the proposed groundwater extraction. The relative flow reduction increases slightly for the more infrequent events, e.g. the 0.6% reduction in annual low flow with proposed groundwater extraction relative the Base Case Scenario is predicted in the event of a 50 or 100-year drought.

Recurrence Interval	Scenario 1: Base Case	Scenario 2: Proposed GW Extraction	Relative Difference
(years)	(L/s)	(L/s)	(%)
1	95.9	95.6	-0.3%
2	68.7	68.5	-0.3%
5	54.4	54.1	-0.4%
10	49.6	49.3	-0.5%
25	42.8	42.6	-0.5%
50	40.7	40.5	-0.6%
100	37.4	37.2	-0.6%

Table 6. Surface water low-flow reduction analysis.






Figure 5. Surface drainage low flow analysis for model predictive scenarios.

The impact on surface water resources due to proposed take will therefore be less than minor.

4.2 Pumping Interference Effects

The end of the 2010 irrigation season (30 April 2010) was selected for impact analysis as this date represents the end time of the driest period within the historical record, and the greatest simulated seasonal irrigation pumping requirement. Simulation results were evaluated within and around the Blucher property in order to assess potential effects from proposed pumping in the area most likely to be impacted.

Drawdown Effects

The simulated groundwater level for the end of 2010 irrigation season for Scenarios 2 and 3 were subtracted from the head simulated at the corresponding time from the Baseline Model in the case of Scenario 2, and a revised version of the Baseline Model with low permeability in Layer 2 for Scenario 3, to produce regional drawdown maps (**Figure 6** and **Figure 7**Figure 7). The resulting drawdown predictions are used to evaluate the magnitude and extent of potential impacts resulting from the proposed pumping on both the shallow and deep aquifers both scenario conditions.

Deep aquifer

The predicted drawdown in the deep aquifer for Scenario 2 is shown in **Figure 6**. In Scenario 2 the maximum predicted drawdown was 0.8 m at the proposed Blucher bore location. The extent of significant drawdown, typically considered to be the 0.6 m contour, was a maximum of 12 m from the proposed bore location, which is entirely within the boundary of the Blucher property.

In Scenario 3, the low permeability of model Layer 2 limited leakage from the overlying layers thereby magnifying the impact of pumping on groundwater levels. The maximum drawdown predicted in Scenario 3 was 1.0 m at the pumping location (**Figure 8**). The 0.6 m drawdown contour encompassed both the Henderson Bay and Waikopu properties, extending up to 170 m from the proposed pumping bore.






Figure 6. Simulated drawdown of deep aquifer (Scenario 2).






Figure 7. Simulated drawdown of deep aquifer (Scenario 3)

Shallow aquifer

Negligible drawdown (0.11 m) was predicted in the shallow aquifer for the proposed extraction scenario (Scenario 2). In Scenario 3, no shallow aquifer drawdown was predicted due to increased groundwater pumping because of the disconnection of the upper and lower portions of the aquifer.






Figure 8. Simulated drawdown of shallow aquifer (Scenario 2).

Neighbouring Bores

The predicted groundwater drawdown for 30 April 2010 was used as the basis for predicting potential interference on existing groundwater users resulting from pumping at the proposed Blucher bore. **Appendix B** provides a summary of predicted drawdown at bores within the 5 cm drawdown contour for Scenario 3, the scenario where maximum drawdown is predicted and therefore the most conservative reference case.

There are no registered bores within the area where Scenario 3 predicted drawdown is 0.6 m or greater (**Figure 7**). The maximum drawdown at a neighbouring bore predicted in Scenario 3 was 0.36 m, predicted to occur at a bore registered to Steve Boyce (LOC.209644) located approximately 40 m east of the Blucher property boundary.

In all cases, predicted drawdown was insignificant in the context of available drawdown in this aquifer, which is between 70 - 100 m in most shellbed aquifer bores. Based on this assessment and the available drawdown in the aquifer the interference effects on existing groundwater users is considered less than minor.



4.3 Saline Intrusion

Model results from the Base Case (Scenario 1) and Proposed Extraction (Scenario 2) scenarios were used to evaluate the risk of the proposed groundwater takes inducing saltwater intrusion into the Aupouri aquifer. The Low Permeability Scenario (Scenario 3) was not considered for this analysis because it is not based on a calibrated version of the model, and therefore can only be used to assess relative drawdown rather absolute water levels as required for analysis of potential saline intrusion (WWA, 2018b).

The most likely mechanism for saline intrusion under the hydrogeological conditions of the study area is lateral migration. The potential for lateral migration was evaluated using the Ghyben-Herzberg relation that states that for every meter of head above sea level in the freshwater aquifer there will be 40 m of freshwater in the aquifer below sea level.

At the coastline adjacent to the Blucher property the bottom of the Aupouri aquifer is -65 to -70 m AMSL. Therefore 1.6 to 1.8 m of head are required to prevent inland migration of the saltwater interface. In the Base Case Scenario, the predicted head along this section of coastline at the time of maximum irrigation is 3.5 m To 4.7 m, exceeding the required head to avert saline intrusion by 1.9 to 2.9 m.

The maximum predicted drawdown along the east coast, adjacent to the Blucher property, is 0.13 m in the Proposed Extraction Scenario. Based on the Ghyben-Herzberg principal and the elevation of the saltwater interface this level of drawdown will not cause lateral migration of seawater into the Aupouri aquifer.

The impact on saltwater intrusion due to proposed take will therefore be less than minor.

4.4 Ground Settlement

Land subsidence due to groundwater extraction was calculated using the Bouwer (1977)⁵ equation:

$$S_u = (P_{i2} - P_{i1}) \frac{Z_1}{E}$$

where S_u = vertical subsidence (m)

 $P_{i2} - P_{i1}$ = Increase in intergranular pressure due to drop of the water table

 $Z_1 = layer thickness$

E = modulus of elasticity of the soil

The following characteristics were assumed for the aquifer:

- Porosity = 0.30
- Unsaturated water content = 0.08
- Specific weight of aquifer material (consolidated silty sand) = 20 kN/m³ (Silty sand density ranges between 1,410 kg/m³ and 2,275 kg/m³ (http://structx.com/Soil_Properties_002.html), corresponding to specific weight of 14 kN/m³ and 22 kN/m³)
- Specific weight of water = 9.81 kN/m³.

The deep shellbed material is denser and less compressible compared to the mixture of sand, silt and peat overlying above. The subsidence analysis was conducted using three separate layers representing the conceptual hydrogeological units of the sub-surface environment, and the parameter values used were based on Bouwer (1977).



The potential maximum ground settlement was estimated at the proposed bore on the Blucher property based on the maximum simulated drawdown in the Base Case Scenario and low permeability scenarios. Predicted settlement at the bore location was 1.2 cm in Scenario 2 (Base Case) and 1.3 cm in Scenario 3 (Low Permeability). These values would be impossible to measure under existing field conditions and can therefore be considered negligible.

In summary, the potential settlement effects are considered less than minor.

4.5 Water Quality

The potential risk to water quality from the leaching of fertilisers and pesticides that may be associated with horticulture is not a relevant consideration for a water take application under the current Northland Regional planning framework. With reference to the effects from horticultural sprays the Commissioners for the MWWUG water take applications stated in their Hearing Decision Report (June 2018) that:

"such are not matters that are directly engaged by the present applications for water abstraction. Accordingly, we have no present jurisdiction to consider those putative effects. If resource (or other) consent is subsequently required, then such will need to be applied for and considered at the appropriate time".

Nevertheless, there are a range of factors that make the leaching of fertiliser and pesticides unlikely to impact water quality:

- In practice orchardists in this area tend to apply fertiliser efficiently via fertigation as part of their irrigation water using a small dosage regularly, which is driven by both the soil conditions (i.e. high permeability and lacking in nutrients) and economic considerations.
- Inefficient irrigation practice will lead to root rot, thus because orchardists will actively avoid this, excessive leaching of nutrients is unlikely.
- Both fertiliser and approved pesticides are applied in accordance with permitted activity rules within the pRPN and rules needing to be met to become certified under the AvoGreen Assured program by the Avocado Industry Council Ltd. One of the key aims is "environmental sustainability by only using sprays when required".
- Due to the presence of significant amounts of organic matter within the shallow sand deposits, shallow
 groundwater is likely to be reducing. Under such conditions, nitrate concentrations are likely to be low in
 groundwater (consistent with available groundwater quality data) due to denitrification within the aquifer
 system. The presence of organic matter is also likely to substantially decrease the mobility of any pesticide
 compounds prone to leaching.

4.6 Consideration of Alternatives

An AEE must include a description of alternative locations or methods for undertaking an activity, if it is likely that the activity will result in any significant adverse effect on the environment.

The effects of the proposed taking and using of groundwater were assessed above as being no more than minor on the environment and less than minor on other groundwater users. As such, no alternatives have been considered for this proposal.



5. Assessment of Cultural Effects

Northland Regional Council have an internal procedure where they circulate all applications to local lwi and Maori Groups that have registered with the Council as having an interest in the area. Therefore, regardless of whether the local lwi or Maori Groups are considered to be affected by the effects of the proposed activity, the Group must will be notified by the Regional Council and therefore can be considered as part of the consultation process.

The applicant has not undertaken any personal consultation with Iwi or Maori Groups based on the understanding that physical effects of this application are less than minor, therefore any meta-physical (cultural and spiritual) effects would commensurately be less than minor.

Therefore, given the less than minor impact of this proposal, we do not consider lwi consultation is necessary for this application.



6. Assessment Of Statutory Considerations

Table 7 to Table 10 provide assessments of the relevant statutory documents as were identified in Section Error! Reference source not found..

Overall, this resource consent application is consistent with the objectives and policies of the National Policy Statement for Freshwater Management 2014, incumbent regional plan (RWSPN) and proposed regional plan (pRPN).

No.	Ob	jective / Policy	Assessment
Water Quality			
Objective A1	•	Seeks to safeguard the life-supporting capacity, ecosystem processes and indigenous species including their associated ecosystems of fresh water, in sustainably managing the use and development of land, and of discharges of contaminants.	
Objective A2	•	Required that the overall quality of fresh water within a region is maintained or improved while improving the quality of fresh water in water bodies that have been degraded by human activities to the point of being over-allocated.	This proposal is consistent with these objectives and policies and either supports them or at the least maintains them.
Objective A4	•	Seeks to enable communities to provide for their economic well-being, including productive economic opportunities.	
Policies A2, A3, and A7	•	Give effect to Objectives A1, A2, A4	
Water Quality			
Objective B2	•	Seeks to avoid any further over-allocation of fresh water and phase out existing over-allocation.	
Objective B3	•	Seeks to improve and maximise the efficient allocation and efficient use of water.	This proposal is consistent with these objectives and
Objective B5	•	Seeks to provide for communities' economic wellbeing within freshwater quantity limits.	policies.
Policies B2 to B6	•	Give effect to Objectives B2 to B5.	
Integrated Manageme	nt		

Table 7. Assessment against relevant objectives and policies for the National Policy Statement for Freshwater Management 2014.

Irrigation Water Take Application



No.	Ob	jective / Policy	Assessment
Objective C1	•	Seeks to improve integrated management of fresh water and the use and development of land in whole catchments, including the interactions between fresh water, land, associated ecosystems and the coastal environment.	This proposal is consistent with these objective and policies.
Policies C1 and C2	•	Give effect to Objective C1.	

Table 8. Assessment against relevant objectives and policies for the Regional Policy Statement for Northland.

No.	Objective / Policy	Comment
Objective 3.2	• Seeks to maintain and improve water quality for human use and ecological health.	This proposal is consistent with this objective as it will at the least maintain water quality.
Objective 3.3	• Seeks to safeguard the flows and flow variability required to maintain water's life-supporting capacity, for ecological processes, and to support indigenous species.	The proposal is consistent with this objective as it will have a no more than minor impact on surface water resources.
Objective 3.5	• Requires that the region's resources are sustainable managed in a way that is attractive for business and investment that will improve the economic wellbeing of the region and its communities.	The proposal is consistent with this objective as it will efficiently utilise a natural resource to facilitate development of economic wellbeing.
Objective 3.10	• Requires efficient use and allocation of common natural resources with a particular focus on maximising the security and reliability of supple for users.	The proposal is consistent with this objective.
Policy 4.3.2	• Requires regulatory methods to avoid over-allocation of region-wide ecological flows and water levels.	The proposal does not exceed allocation limits, hence is consistent with this policy.
Policy 4.3.3	Requires the allocation and use of water efficiently within allocation limits.	The proposal will use water efficiently and will not exceed allocation limits, hence is consistent with this policy.

Table 9. Assessment against relevant objectives and policies for the Proposed Regional Plan for Northland.

No.	Ot	ojective / Policy	Comment
Objective F.0.1	•	Seeks to manage the use, development, and protection of Northland's natural and physical resources which	The proposal is consistent with this objective.
		enables people and communities to provide for their social, economic and cultural well-being while	

Irrigation Water Take Application



No.	Objective / Policy	Comment
	 sustaining the natural resources to meet the reasonable foreseeable needs of future generations, safeguarding life-supporting capacities of water, and avoiding, remedying, or mitigating adverse effects on the environment. 	
Policy D.2.2	Requires that regard is had to the social, cultural, and economic benefits of the proposed activity when considering resource consents.	As discussed in Section 6, proposal will facilitate the economic and social benefits of both the landowner, their employees and the wider community through flow on effects of purchases made to operate and maintain the orchard.
Policy D.2.5	Requires an authority to have regard to community and tangata whenua values	The proposal is not inconsistent with either community values, as there has been conversion to market gardening and horticulture in the area that has benefitted the community and tangata whenua through employment opportunities.
Policies D.4.5	Seeks to maintain overall water quality	This proposal is consistent with this policy as it will not impact water quality.
Policy D.4.13	• Seeks to achieve freshwater quantity related outcomes and in particular manage the taking, use, damming, and diversion of fresh water so that (with relevance to this application) saline intrusion in, and land subsidence above, aquifers is avoided (amongst other things).	This proposal is consistent with this policy as it will avoid the saline intrusion and subsidence impacts, as discussed in Section 0 and 0 .
Policy D.4.17	Considers allocation limits for aquifers and requires rules and applications to meet allocation limits.	This proposal is consistent with this policy as the proposed take will not exceed allocation limits within the Aupouri- Motutangi zone.
Policy D.4.18	Concerns conjunctive surface water and groundwater management.	This application is not inconsistent with this policy, in that the groundwater take will not adversely impact on surface water through stream depletion.
Policy D.4.20	Requires the reasonable and efficient use of water for irrigation and sets requirements for a resource consent application to take water for irrigation purposes.	This proposal is consistent with this policy as the daily irrigation rate and annual volume are considered efficient and just meet 10-year drought requirements, but provide reduced reliability for more severe droughts.
Policy D.4.23	 Requires conditions on water permits that 1) clearly define the take amount in instantaneous take rates and total volumes, including by reference to the temporal aspects of the take and use, and 	The proposal is only partially consistent with this policy, as the applicants are arguing that so long as pumping data is recorded electronically and available for the council upon

Irrigation Water Take Application



No.	Objective / Policy	Comment
	 require that the water take is metered and information on rates and total volume of the take is provided electronically to the regional council, and 	request, telemetry is not required. All other provisions will be met.
	 for water permits for takes equal to or greater than 10 litres per second, require the water meter to be telemetered to the regional council, and 	
	 clearly define when any restrictions and cessation of the water take must occur to ensure compliance with freshwater water quantity limits set in this plan, and 	
	5) require the use of a backflow prevention system to prevent the backflow of contaminants to surface water or ground water from irrigation systems used to apply animal effluent, agrichemical or nutrients, and	
	 specify when and under what circumstances the permit will be reviewed pursuant to Section 128(1) of the RMA, including by way of a common review date with other water permits in a catchment. 	

Table 10. Assessment against relevant objectives and policies for the Regional Water and Soil Plan for Northland.

No.	Ob	jective / Policy	Comment
Objective 7.4	•	Requires the maintenance or enhancement of water quality of natural water bodies.	This proposal is consistent with this objective as the effects of the take and use of the water will have no more than minor impacts on the shallow aquifer and other surface water bodies, as discussed in Section Error! Reference s ource not found
Objective 10.4.1	•	Seeks to maintain the sustainable use and development of the region's groundwater resources while avoiding, remedying, or mitigating actual and potential adverse effects on groundwater quantity and quality.	Ditto above.
Policy 10.5.1	•	Seeks to ensure the sustainable use of resources by avoiding takes that exceed recharge. Saltwater intrusion, reduced groundwater quality, significant drawdown, and adverse effects on surface water resources can arise where takes exceed recharge.	This proposal is consistent with this policy as the cumulative allocation in this aquifer management zone is only 11% of mean annual recharge, which is a low limit on a national scale.
Policy 10.5.2	•	Recognises that aquifers are at risk in certain circumstances and that adverse effects on water quality should be avoided.	This proposal is consistent with this policy in that current water quality will be maintained.

Irrigation Water Take Application



No.	Objective / Policy	Comment
Policy 10.5.4	• Seeks that groundwater allocations take into account reduction in recharge that may occur in time.	This proposal is consistent with this policy in that the analysis assumed no rainfall for the entire 96 days of pumping.
Policy 10.5.7	Requires the Northland Regional Council to consider effects of a groundwater take and use on surface water bodies.	This proposal is consistent with this policy as the effects of the take and use of the water will have no more than minor impacts on the shallow aquifer and other surface water bodies, as discussed in Section Error! Reference source not f ound
Policy 10.5.9	• Seeks to avoid, remedy or mitigate any ground subsidence as a result of groundwater takes, use or diversion, where this is likely to cause adverse flooding, drainage problems, or building damage.	This proposal is consistent with this policy as subsidence effects will be no more than minor in the context of a rural setting, as discussed in Section 0 .



7. Notification

Section 95 sets out the decision-making steps for the determining of public notification and limited notification of applications and the timeframe Councils have for making the notification decision.

A notification assessment has been carried out in accordance with the stepped process as documented in **Table 11**.

Step	Question	Assessment
Step 1: mandatory public notification in certain circumstances	a) The applicant has requested that the application be publicly notified	NO
	b) Public notification is required under section 95C	NO
	c) The application is made jointly with an application to exchange recreation reserve land under section 15AA of the Reserves Act 1977	NO
Step 2: if not required by step 1, public notification precluded in certain circumstances	 The application is for a resource consent for 1 or more activities, and each activity is subject to a rule or national environmental standard that precludes public notification. 	NO
	 b) The application is for a resource consent for 1 or more of the following, but no other, activities: (i) a controlled activity; (ii) a restricted discretionary or discretionary activity, but only if the activity is a subdivision of land or a residential activity; (iii) a restricted discretionary, discretionary, or non-complying activity, but only if the activity is a boundary activity; (iv) a prescribed activity (see section 360H(1)(a)(i)). 	NO
Step 3: if not precluded by step 2, public notification required in certain	a) The application is for a resource consent for 1 or more activities, and any of those activities is subject to a rule or national environmental standard that requires public notification.	NO
circumstances	b) The consent authority decides, in accordance with section 95D, that the activity will have or is likely to have adverse effects on the environment that are more than minor.	NO
Step 4: public notification in special circumstances	Determine whether special circumstances exist in relation to the application that warrant the application being publicly notified.	NO

Table 11. RMA Section 95A public notification of consent applications assessment.

Therefore, in accordance with s95A(9)(b) RMA, the consent authority should <u>not publicly notify</u> this application but may determine whether to give limited notification under s95B.



8. Consultation

Schedule 4 of the RMA requires that an AEE should identify (amongst other things) the persons affected by the activity, any consultation undertaken, and any response to the views of any person consulted.

Potentially affected parties in relation to this application could include other groundwater users and occupiers of the land within the pumping induced groundwater cone of depression.

However, it should also be noted that while it is considered good practice and "neighbourly" to undertake consultation, under Section 36A of the RMA there is no requirement for an applicant or council to undertake any consultation with any person in regard to an application.

In this case, consultation has not been undertaken with other water users and landowners because the assessment of effects and in particular the bore interference assessment provided in **Section 4.2** concludes that no other groundwater users are considered to be adversely affected by the granting of this application.



9. Summary and Conclusions

Shane and Lisa Blucher are seeking a groundwater take to facilitate the development of a 28.8-ha orchard on a property located at 4217A Far North Road, Pukenui. The groundwater take will be exercised from October to April, in accordance with the following volumes:

- Maximum daily volume of 720 m³/day; and
- Maximum annual volume of 96,000 m³/yr.

A consent duration of 30 years is sought, subject to a lapse period of 5 years.

If granted, this consent taken with another application we are aware of, will take the allocation status for the Aupouri-Houhora allocation zone to just approximately 94% of full allocation. The activity status thus remains Discretionary.

The AEE has demonstrated that the potential adverse effects of the proposed water take and use on the environment will be less than minor, and the effects on persons will also be less than minor.

The proposal is also considered to be consistent with the relevant objectives and policies of the NPS, the RPS, the PRP, the RWSPN, and Part 2 of the RMA. The applicant considers that in light of the less than minor effects of the application, the decision made following the recent hearing for the MWWUG consent applications, the consent should proceed without public notification and be granted on a non-notified basis.



10. References

Lincoln AgriTech, 2015. Aupouri Aquifer Groundwater Model. Consultancy report prepared for Northland Regional Council.

Tait, B., 2018. Allocation and use of water. Recommendations in response to submissions on the Proposed Regional Plan for Northland - Section 42A hearing report. Date: 3/07/2018. Author: Ben Tait. Version: Final.

Williamson Water Advisory, 2017. Motutangi-Waiharara Groundwater Model Factual Technical Report – Modelling. Consultancy report prepared for Motutangi-Waiharara Water Users Group.

Williamson Water Advisory, 2018. Te Raite Station Groundwater Investigations. Letter report addressing RMA s92 requests prepared for WSP-OPUIS Consultants Limited.



Appendix A. Form A - Application for Resource Consent

APPLICATION FORM FOR RESOURCE CONSENT

This application is made under Section 88/127 of the Resource Management Act 1991

NORTHLAND REGIONAL COUNCIL

Putting Northland first

Fax:

Whāngārei Office Kaitāia Office **Opua** Office Dargaville Office Free Phone E-mail Website

Phone: (09) 470 1200 (09) 470 1202 (09) 408 6600 Phone: (09) 402 7516 Phone: (09) 439 3300 Phone[,] 0800 002 004 mailroom@nrc.govt.nz www.nrc.govt.nz

To: **Consents Department** Northland Regional Council Private Bag 9021 Whāngārei Mail Centre Whāngārei 0148

IMPORTANT NOTES TO APPLICANTS

- Please read fully the notes below and the Information Brochures and Explanatory Notes available from the Council, before preparing your (a) application and any supporting information.
- The Resource Management Act 1991 sets out the information you must provide with your application for a resource consent. If you do not (b) provide adequate information, your application cannot be received nor processed by the Council and will be returned to you. If you are unsure of what information should be included with your application, please contact the Council before submitting the application.
- Applications require notification (public advertising calling for submissions) unless the Council is satisfied that the adverse effects on the (c) environment of the activity for which consent is sought will be minor; and written approval has been obtained from every person who the Council is satisfied may be adversely affected by the granting of the consent. The Council also has available a form "Form 8A - Affected Person's Written Approval", to help you record such approvals for applications that may be processed without public notification.

PART A – GENERAL

APPLICANT (1) Full Name of Applicant(s): (in full e.g. Albert William Jones and Mary Anne Jones. For Companies, Trusts and other Organisations, commonly used name)	Full Names S.E. and L.A. Blucher (Shane and Lisa)
Phone Number – Business:	Fax:
Home:	Mobile:
E-mail:	motutangi.stud@slingshot.co.nz

For applications by a company, private trusts or other entity/organisations, the Directors; Trustees and Officers' full names must be supplied and Section (12) completed and signed.

(2)	Postal Address: (in full)	4217A Far North Road, Pukenui.
(3)	Residential Address: (if different from postal address)	

APPLICATION FORM SEPTEMBER 2006 (REVISION 2)

Application Form continued on next page

 (4) Address for Service of Documents: (if different from postal address e.g. Consultant) (5) Owner/Occupier of Land/ Water Body: 	Jon Williamson (jon.williamson@wwa.kiwi) c/o Williamson Water & Land Advisory PO Box 314 Kumeu, 0812 Auckland					
(if different from the Applicant)						
	sought from the Regional Counc					
You will need to fill in a separate Ass These forms can be obtained from the		form for each activity.				
Coastal Permit						
Mooring	Marine Farm	Structure Pipeline/Cable				
Other (specify)						
Land Use Consent						
Vegetation Clearance	Quarry	Structure in/over Watercourse				
Earthworks	Construct/Alter a Bore	Dam Structure				
Other (specify)						
Water Permit						
Stream/Surface Take	Damming	Groundwater Take Diverting Water				
Other (specify)						
Discharge Permit						
Domestic Effluent to Land	General Discharge to Land	Farm Dairy Effluent to Land/Water				
Air	Water					
Other (specify)						
(7) Other Resource Consents required from the District Council: Where other Resource Consents are required for the same activity, they must be applied for at the same time. Not doing so will delay the processing of this application. What other Resource Consents are required from the District Council? None Land Use Consent Have the applications been made? Yes No						
(8) Description of the Activity:						
Please briefly describe the activities and duration for which Consent(s) are being sought. It is important you fill this out correctly, as the Council cannot grant Consent for any activity you do not apply for.						
The resource consent application for Shane and Lisa Blucher is to take and use groundwater for a new 28.8 h						
orchard development, requiring the construction of a new bore.						
The groundwater take will be exercised from October to April, in accordance with the following volumes:						
Maximum daily volume of	720 m3/day; and					
Maximum annual volume of 96,000 m3/yr.						

(9) Location of Property/Waterbody to which Application relates:						
Describe the location in a manner which will allow it to be readily identified, e.g. street address, legal description, harbour, bay, map reference etc. Attach appropriate plans and/or diagrams.						
Property Address: 4217A Far North Road, Pukenui 0484.Locality:						
Other Location Information:						

PART B – ASSESSMENT OF EFFECTS ON THE ENVIRONMENT

You must include an assessment of the effects of your activity on the environment as part of your application.

The Resource Management Act 1991 requires that each application include an assessment of the actual and potential effects of the activity on the environment in accordance with the Fourth Schedule.

To assist you to supply this assessment of effects, the Council has prepared specific forms for various consent activities. For minor activities, all that will be required is for you to complete the specific form. Where the potential effects of the activity are more significant, we recommend you undertake a full assessment of effects, with professional assistance if necessary.

If you are unsure of what information to include with you application and the assessment of effects, please contact the Council before submitting your application. A pre-lodgement meeting with relevant Consent Staff is recommended.

PART C – GENERAL						
(10) Renewal of an Existing Resource Consent:						
Yes X No A change in conditions of a current Resource Consent						
(11) Fee/Deposit Enclosed with Application(s):						
Application to be processed as:						
Coastal Permit: \$ Land Use Consent: \$						
X Water Permit: \$ Bischarge Permit: \$						
Bore Permit: \$ Change Conditions: \$						

(12) Signature of Applicant(s) or Persons authorised to sign on behalf of Applicant(s):

IMPORTANT NOTES TO APPLICANTS

- (a) Your application must be accompanied by the minimum fee (deposit) as determined by the Council. A schedule of the fee/deposits for different consent applications is annexed. Please note that applications by private trusts and other group entities require the personal guarantees of the Trustees and/or Officers for the payment of costs to be submitted with the application.
 - For complex applications, the Council may require an additional deposit pursuant to Section 36(3) of the Act, based on the estimated costs for processing such complex applications and may require progressive monthly payments during consent processing.
 - The final fee is based on actual and reasonable costs including disbursements and where this fee exceeds the fee/deposit, the additional fee is subject to objection and appeal.
- (b) All accounts are payable by the 20th of the month following the date of invoice. Any actual and reasonable costs, including but not limited to legal costs, debt collection fees or disbursements incurred as a result of any default in payment, shall be recoverable from the Applicant and is so notified in compliance with the Credit Contracts and Finance Act 2003. Submitting this Application authorises the Council to, if necessary, provide your personal information to a Credit Reporter in order to employ in its debt collection services in compliance with the Credit Reporting Privacy Code 2004, should payment default occur.
- (c) Resource Consents usually attract an annual fee to recover the reasonable costs of the Council's monitoring, supervision and administration of the Consent during its term.
- (d) The information you provide is official information. It will be used to process the application and, together with other official information, assist the management of the region's natural and physical resources. Access to information held by the Northland Regional Council is administered in accordance with the Local Government Official Information and Meetings Act 1987 and the Privacy Act 1993.

I/we declare that, to the best of my/our knowledge and belief, the information given in this Application and attached Assessment of Environmental Effects is true and correct. I/we unconditionally guarantee jointly and severally to pay the actual and reasonable costs of processing this Application as and when charges become due and payable. I/we acknowledge that I/we understand the consequences of sign				
Signature:pp. //hullaufs	ignature:			
Full Name (print): Jon Williamson	ull Name (print):			
Date:21/12/2018	_ate:			

Continue with Trustees' and Authorised Officers' signatures below, as necessary.

Personal details and signatur Unincorporated Entities.	es of Trustees*, or Officers authorised to sign on behalf of and to bind Trusts, Societies and * Private and Family Trusts only
Full Name and Status: (Trustee, Officer etc)	
Full Residential Address:	
Signature:	
Signature.	
Full Name and Status: (Trustee, Officer etc)	
Full Residential Address:	
Signature:	
Full Name and Status:	
(Trustee, Officer etc)	
Full Residential Address:	
Signature:	
Full Name and Status:	
(Trustee, Officer etc)	
Full Residential Address:	
Signature:	

CHECKLIST – Have you remembered to						
	Complete all details set out in this Application Form		Include a Site Plan			
	Include an Assessment of Effects of the activity on the environment, set out in the attached form		Include the appropriate fee as set out in the "Schedule of Minimum Estimated Initial Fees"			
	Sign and date the Application Form		Complete details of Trustees and/or Authorised Officers on this page			



Appendix B. Impact on Neighbouring bores

Predicted drawdown on bores over 50 m deep that are included in the NRC database:

IRISID	x	Y	Purpose	Depth of Bore (m)	Scenario 3 Drawdown: Deep Aquifer (m)
LOC.209644	1610530	6148125	Domestic	93.1	0.36
LOC.209185	1610518	6148354	Domestic	71.5	0.33
LOC.200234	1610564	6148250	Domestic	59	0.32
LOC.314181	1610570	6148029	Domestic	82.5	0.31
LOC.315061	1610391	6147663	Not specified	Not specified	0.30
LOC.200053	1610664	6148151	Not specified	Not specified	0.29
LOC.200245	1610462	6148650	Domestic	65	0.29
LOC.209543	1610747	6148037	Domestic	73	0.28
LOC.200244	1610664	6147951	Domestic	55.5	0.28
LOC.314929	1610590	6147808	Domestic	86.5	0.27
LOC.209707	1610763	6148209	Domestic	70.5	0.27
LOC.314093	1610734	6148503	Domestic	66	0.27
LOC.305545	1610005	6147426	Domestic and stock	91	0.26
LOC.304125	1609975	6147378	Not specified	Not specified	0.26
LOC.316126	1610002	6147264	Not specified	Not specified	0.24
LOC.209599	1610609	6147637	Domestic	89	0.23
LOC.315398	1609921	6147194	Not specified	Not specified	0.22
LOC.200056	1610765	6147651	Not specified	Not specified	0.21
LOC.210161	1608940	6148550	Not specified	Not specified	0.21
LOC.308897	1610564	6147424	Domestic	89.7	0.20
LOC.209579	1610825	6147551	Domestic	77	0.19
LOC.209510	1610600	6147316	Domestic	75.5	0.18
LOC.200055	1610666	6147351	Not specified	Not specified	0.18
LOC.200196	1610766	6147451	Private Water Supply	75	0.18
LOC.200051	1610666	6147251	Not specified	Not specified	0.17
LOC.209231	1610577	6147231	Commercial Water Supply	86.6	0.17
LOC.200274	1610467	6147051	Domestic and Irrigation	50	0.16
LOC.200311	1610367	6147010	Irrigation	116.2	0.16
LOC.305229	1609849	6149352	Not specified	Not specified	0.16
LOC.209230	1610178	6146870	Domestic	93.5	0.16
LOC.307773	1609855	6149351	Domestic and stock	66.3	0.16
LOC.210016	1610739	6147174	Domestic	79	0.16
LOC.200344	1610855	6147471	Domestic	75.5	0.16
LOC.209642	1610821	6147232	Domestic	82.2	0.14
LOC.200213	1609569	6146648	Stock	110	0.13

Shane and Lisa Blucher Irrigation Water Take Application



IRISID	x	Y	Purpose	Depth of Bore (m)	Scenario 3 Drawdown: Deep Aquifer (m)
LOC.302455	1609937	6149573	Stock	65	0.12
LOC.301013	1609937	6149573	Not specified	Not specified	0.12
LOC.300133	1609936.924	6149570.4	Not specified	Not specified	0.12
LOC.200049	1609869	6146549	Not specified	Not specified	0.11
LOC.209779	1610850	6147124	Domestic	94.7	0.11
LOC.209933	1608602	6146282	Stock	110.5	0.09
LOC.209887	1608602	6146282	Domestic	83	0.09
LOC.311386	1611031	6146536	Domestic	86	0.08
LOC.305551	1611364	6146854	Domestic	82	0.06
LOC.200250	1611411	6146928	Private Water Supply	79.25	0.06
LOC.209508	1611396	6146722	Domestic	74.5	0.06
LOC.316695	1611066	6145958	Domestic	80.7	0.06
LOC.200318	1611468	6146654	Private Water Supply	74.4	0.06
LOC.200189	1610471	6145551	Domestic	54	0.06
LOC.314182	1610293	6145502	Not specified	Not specified	0.05
LOC.315067	1610416	6145474	Domestic	90.5	0.05
LOC.200043	1611568	6146654	Irrigation	54.2	0.05
LOC.200184	1610215	6145090	Not specified	110	0.05