

7 Taiharuru

Description and geomorphology

Taiharuru Bay is located on the east coast of Northland, approximately 19 km east of Whangarei.

The site is an east facing pocket beach embayment situated between the two headlands of Waipuna Point in the north and Huitau Point in the south. Both headlands comprise of Greywacke rock.

The relatively low lying central dune area is approximately 190 m long and is developed with the most seaward dwelling located 8 m from the dune toe.

The site has a mixed coarse sand and gravel beach, with a high portion of pebble material above the high tide line. The central section of the beach has a 20 m wide berm above the high tide line. The site has no high tide berm at both the northern and southern cliff end sections of the bay.

The central beach section has a typical profile that transitions from a grass bank down to the berm with a revetment that is approximately 2 m high. The backshore elevation ranges from RL 4 m to 5 m.

Local considerations

There is a rock revetment located along the 190 m long central section of the site. A boat ramp is situated at the southern end of the revetment.

The topography rises up to a headland on either side of the central beach area. The southern cliff consists of highly weathered Greywacke, with an actively eroding cliff face. The cliff elevation at this ranges from 17 to 23 m. The northern cliff shoreline is moderately strong Greywacke with an elevation of approximately 18 to 30 m.

Coastal Erosion Hazard Assessment

The site is split into three cells based on differences in geomorphology, exposure and cliff/dune height.

Adopted component values are presented within Table 7-1. While the cliffs at either end are both relatively high (18-30 m), the rock at the



Site Photograph A (North cliff shoreline)



Site Photograph B (centre)



Site Photograph C (south cliff shoreline)

southern end is more highly weathered and so has a low stable angle of repose. Both cliffs are retreating at rates up to 0.2 m/year.

Histograms of individual components and resultant CEHZ distances using a Monte Carlo

technique are shown in Figure 7-2. Coastal Erosion Hazard Zone widths are presented within Table 7-2 and Figure 7-4.

Future shoreline distances range from 6 to 9 m for cliffs with CEHZ1 of 26 m for the beach and CEHZ2 distances from 22 to 40 m for cliffs and 57 m for the beach. The CEHZ's have been mapped in agreement with the calculated values

For cell 7A and cell 7C the cliff projection method has been adopted with future shoreline distances shown in Figure 7-1, Figure 7-3 and Table 7-2 instead of CEHZ distances.

The future shoreline (cliff toe) distances range from 6 to 9 m to 2065 and 22 to 40 m to 2115.

Figure 7-5 shows the available historic shorelines for Taiharuru.

Table 7-1 Component values for Erosion Hazard Assessment

Site		7. Taiharuru		
Cell		7A ¹	7B ²	7C ¹
Cell centre (NZTM)	E	1740449	1740368	1740482
	N	6045171	6044960	6044787
Chainage, m (from N/W)		0-500	500-700	700-1000
Morphology		Greywacke	Dune	Greywacke
Short-term (m)	Min	0	5	0
	Mode	0	10	0
	Max	0	15	0
Dune/Cliff elevation (m above toe or scarp)	Min	18.0	4.3	17.0
	Mode	23.5	5.3	19.2
	Max	29.9	5.8	22.9
Stable angle (deg)	Min	26.6	30	14
	Mode	30.2	32	16.2
	Max	33.7	34	18.4
Long-term (m) -ve erosion +ve accretion	Min	-0.05	0	-0.05
	Mode	-0.1	-0.05	-0.1
	Max	-0.15	-0.15	-0.2
Closure slope (beaches)	Min	0.5	0.038	0.75
	Mode	0.25	0.028	0.5
	Max	0	0.024	0.25
SLR 2065 (m)	Min	0.19	0.19	0.19
	Mode	0.29	0.29	0.29
	Max	0.39	0.39	0.39
SLR 2115 (m)	Min	0.45	0.45	0.45
	Mode	0.77	0.77	0.77
	Max	1.1	1.1	1.1

¹Updated using cliff projection methodology

²CEHZ0 included behind coastal protection structure




Figure 7-1 Histograms of parameter samples and the resultant shoreline distances for 2015, 2065 and 2115 timeframes for cell 7A




Figure 7-2 Histograms of parameter samples and the resultant shoreline distances for 2015, 2065 and 2115 timeframes for cell 7B





Figure 7-3 Histograms of parameter samples and the resultant shoreline distances for 2015, 2065 and 2115 timeframes for cell 7C

Table 7-2 Coastal Erosion Hazard Zone Widths

Site		7. Taiharuru								
Cell		7A			7B			7C		
Time		2015	2065	2115	2015	2065	2115	2015	2065	2115
Probability of CEHZ (m) Exceedance	Min	0	-3	-5	-9	-17	-27	0	-4	-8
	99%	0	-4	-7	-10	-21	-33	0	-5	-11
	95%	0	-4	-9	-11	-22	-37	0	-6	-14
	90%	0	-5	-10	-11	-23	-39	0	-7	-16
	80%	0	-5	-11	-12	-25	-41	0	-8	-18
	70%	0	-6	-12	-13	-25	-43	0	-9	-20
	66%	0	-6	-13	-13	-26	-44	0	-9	-21
	60%	0	-6	-13	-14	-26	-45	0	-10	-22
	50%	0	-7	-14	-14	-27	-47	0	-11	-24
	40%	0	-7	-15	-15	-28	-48	0	-11	-26
	33%	0	-7	-16	-15	-29	-49	0	-12	-28
	30%	0	-8	-16	-15	-29	-50	0	-12	-29
	20%	0	-8	-18	-16	-30	-52	0	-14	-32
	10%	0	-9	-20	-17	-31	-55	0	-15	-36
	5%	0	-10	-22	-17	-32	-57	0	-17	-40
	1%	0	-11	-25	-18	-34	-62	0	-20	-49
	Max	0	-14	-32	-19	-39	-69	0	-25	-64
CEHZ1		-6*			-26			-9*		
CEHZ2		-22*			-57			-40*		

*Updated using cliff projection methodology, so distance to future cliff toe position has been tabulated. Actual CEHZ width will be greater depending on cliff height and stable slope angle.

Path: \\itgroup.local\files\AKLP\Projects\1001049\WorkingMaterial\GIS\FINAL\1001049-000-CEHZ001.mxd Date: 11/10/2017 Time: 11:56:10 AM





LEGEND

- 2013 - 2014 shoreline
- Erosion Protection Structures
- ↔ Cell Extent

Coastal Erosion Hazard Zone

- CEHZ0 (protected by structure)
- CEHZ1 (2065 CEHZ)
- CEHZ2 (2115 CEHZ)

Notes: Dashed CEHZ indicates greater uncertainty around stream mouths and backshore topography. Northland 0.1m Rural Aerial Photos (2014-2015).



Tonkin+Taylor
 105 Carlton Gore Rd, Newmarket, Auckland
 www.tonkintaylor.co.nz

DRAWN	PPK	Dec.17
CHECKED	TDS	Dec.17
APPROVED	RRH	Dec.17
ARCFILE 1001049-000-CEHZ001.mxd		
SCALE (AT A4 SIZE) 1:5,000		
PROJECT No. 1001049		

NORTHLAND REGIONAL COUNCIL
 Coastal Erosion Hazard Assessment
 Taiharuru Bay
 Site: 7

FIGURE No. **Figure 7-4**

Rev. **2**



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CN
IGN, and the GIS User Community


Legend

←→ Cell Extent

Shorelines

- 2014 baseline
- 14/01/2014
- 10/01/1979
- 02/05/1966
- 20/05/1942

Notes: Dashed CEHZ indicates greater uncertainty around stream mouths and backshore topography. Northland 0.1m Rural Aerial Photos (2014-2015).



Tonkin+Taylor

www.tonkintaylor.co.nz

DRAWN	PPK	Dec.17
CHECKED	TDS	Dec.17
APPROVED	RRH	Dec.17
ARCFILE HistoricShorelines.mxd		
SCALE (AT A4 SIZE) 1:5,000		
PROJECT No. 1001049		

NORTHLAND REGIONAL COUNCIL
Historic shorelines
Taiharuru Bay
Site: 7